STOUT MOUNT CONSOLES

Unique double angle shape provides excellent visibility and superior comfort

- Strongest and safest mounting solution for your mobile office
- Versatile design for laptop or modular computers
- Low-profile mount system
- Compact design effectively utilizes crucial space
- Highly durable interlocking "U" steel supports the heaviest rugged computers and docking stations



Stout Mount Mobile Workstation in use



Fully Adjustable Monitor Mounting Brackets ensure easy viewing for driver or passenger via tilt-swivel features (C-SM-MMP)

Independent Keyboard and Monitor Brackets allow installer to customize positioning

Swing Arm Feature provides easy and comfortable positioning of keyboard or laptop (C-SM-SA-1)

Two-Piece Housing Design allows the Stout Mount to have the versatility of adjustable height (C-SM-830)

Low Profile Design allows driver a fast and safe exit via the passenger side

Modular Design Options:

- Slide out printer mount (C-PMS)
- Low profile console extension
- Cup holder (C-CUP2 Series)
- Arm rest (C-ARM-3-TM)

Maximum

Equipment

12"

5 lbs.



Part Number		Mounting Area	Weight
C-SM-830			
	 8" Enclosed 30° Angle Stout Mount Series Console 7.25" high, 9" wide, 13" length, 7.75" max. depth, min. depth 3.5" 2 piece housing design allows for adjustable height (Expands 1" or 2" to provide additional internal mounting depth) Mounts to vehicle hump bracket, ordered separately (Trak-Mount recommended) Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options Works with most Havis-Shields Consolidator® accessories & control head equipment brackets 	8"	12 lbs.
C-SM-1225			
	 12" Enclosed 25° Angle Stout Mount Series Console 8.375" high, 9" wide, 16.75" length, 9.25" max depth, min. depth 3.5" 2 piece housing design allows for adjustable height (Expands 1" or 2" to provide additional internal mounting depth) Mounts to vehicle hump bracket, ordered separately (with Track mount recommended) Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options Works with most Havis-Shields Consolidator® accessories & control head equipment brackets See console appendix (page C82) for mounting depth allowed for control heads and/or options 	12"	13 lbs.
C-SM-800			
	 8" Enclosed Low Profile Stout Mount Series Console 3.125" high, 9" wide, 8" length C-S-12 storage tray option cannot be used on low profile console Includes C-B41 "L" bracket 	8"	3 lbs.

STOUT MOUNT CONSOLES





12" Enclosed Low Profile Console

less internal mount options

- 3.125" High, 9" Wide, 12" Length
- C-S-12 storage tray option cannot be used on low profile console.
- Includes C-B41 "L" bracket
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options

Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area

C-SM-SA






Universal Mounting Bracket for Stout Mount & Standard 9" Wide Consoles

- 9" wide; 12 gauge steel with welded corners
- · Mounts to C-SM Series Console Platform
- · Accepts all tilt/swivel or hat brackets (ordered separately)

C-SM-SA-1



Mounting Bracket Complete with Swing Arm Adapter for Stout Mount & Standard 9" Wide Consoles

- 9" wide; 12 gauge steel with welded corners
- Solid 1/2" machined aluminum swing arm
- · Spring lock
- · Mounts to C-SM Series Console Platform
- Accepts all tilt/swivel or hat brackets (ordered separately) (shown with optional C-3082-1 hat bracket)

Contact us at:

Fax: 215.957.0729 Web: www.havis.com

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

C3

STOUT MOUNT SERIES ACCESSORIES

C-SM-MMP




Monitor Mounting Bracket for Stout Mount & Standard 9" Wide Consoles

- 9" wide; 12 gauge steel with welded corners
- Mounts to C-SM Series Console Platform
 - Accepts all tilt/swivel or hat brackets (ordered separately)
 - Specifically designed for monitor mount brackets (C-3522 Series) (ordered separately)



C-PMS



Slide-out Printer Mount

- Designed for use with all Pentax 2" roll feed Pocketjet II series mobile printers (shown with optional printer)
- Order C-3610 printer mount housing separately
- · Bolts to Stout Mount series console or any flat surface
- 22" max. open position, 13" min. closed position
- Mounting hardware included
- 3 piece design allows for tension adjustability.



LOW PROFILE TILT/SWIVEL ADAPTERS



Low Profile Tilt/Swivel Adapters

- · Used to mount laptop mounting plate to telescoping computer base (TCB) or Stout Mount Series
- 360° swivel & 45° or 85° tilt
- Models Available:

Height and Tilt	Fixed 1.375" height	Fixed 2.5" height	Adjustable 4" - 6.5" height
	45° tilt	85° tilt	85° tilt with locking knob
	Our lowest tilt/swivel	Low profile tilt/swivel	Low profile tilt/swivel
No Handle	C-3065-3	C-3075-3	C-3075-4
	2 lbs	2 lbs	3 lbs
Short Locking Handle	C-3065-3S	C-3075-3S	C-3075-4S
	2 lbs	3 lbs	4 lbs
Long Locking Handle	C-3065-3SL	C-3075-3SL	C-3075-4SL
	2 lbs	3 lbs	5 lbs

Contact us at:

Ph: 800.524.9900 or 215.957.0720 Fax: 215.957.0729
E-mail: sales@havis.com Web: www.havis.com

ANGLED CONSOLES

Sloped design maximizes comfort and room

- Ergonomically designed to make equipment easy to see, reach and operate
- Sloped design creates additional space between seats
- Provides maximum comfort and room for extra accessories
- Models in 25,40 and 60 degree angles
- Ideal for light and medium weight computers and docking stations



Angled Console (C-AS-1725



Wire Cover Panels provide a nice flush fit to your dash creating the perfect finishing touch and protecting console wiring (C-AS-WP-CV shown)

Monitor Mounting Platforms include fully adjustable mounting brackets making monitors easily viewable for driver or passenger (C-AS-MMP shown) (see page 10)

Conveniently Angled toward driver making vital equipment easier to see and reach (C-AS-1725 shown)

Storage Box/Arm Rest can be configured as a mini console for mounting less critical and overflow control heads. Provide handy storage space for ticket books, handheld radios and other equipment. Optional lock mechanism available (C-CB-1 shown)

12V Power Outlets provide additional 12V power outlets attached to the storage box

Trak-Mount Extension Plates provide a strong and stable platform for mounting accessories including cup holder and armrest (C-TM-CV shown)


Vehicle Specific Heavy-Duty steel hump mount brackets provide stability, a clean "trouble-free fit" and easy installation because they bolt to existing seat-mounting holes and require no drilling

ANGLED SERIES CONSOLES

Maximum Equipment Mounting Area

Weight

Part Number C-AS-1060




10" Enclosed 60° Angled Series Console

- Horizontal top surface allows for monitor mounting (order monitor mount see pgs C63-68)
- 10.25" high, 9" wide, max. depth 9.5", min. depth 4.25"
- Mounts to C-B series hump brackets ordered separately (pgs C46-50) or any Trak-Mount Base ordered separately (pgs C39-41)
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- See pgs C29-37 for optional console accessories
- · See pgs C21-27 for control head equipment brackets



10" 6 lbs.

C-AS-1025



10" Enclosed 25° Angled Series Console

- 10.5" high, 9" wide, 12" length, max. depth 10", min. depth 6.5".
- Mounts to C-B series hump brackets ordered separately (pgs C46-50) or any Trak-Mount Base ordered separately (pgs C39-41)
- Includes filler plates (FP) and/or equipment brackets (EB) to completely
 enclose mounting area less internal mount options
- See pgs C29-37 for optional console accessories
- See pgs C21-27 for control head equipment brackets



10" 6 lbs.

C-AS-1325



13" Enclosed 25° Angled Series Console

- 10.5" high, 9" wide, 15" length, max. depth 10", min. depth 5".
- Mounts to C-B series hump brackets ordered separately (pgs C46-50) or any Trak-Mount Base ordered separately (pgs C39-41)
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- See pgs C29-37 for optional console accessories
- · See pgs C21-27 for control head equipment brackets



13" 8 lbs.

C-AS-1525



15" Enclosed 25° Angled Series Console

- 10.5" high, 9" wide, 17" length, max. depth 10", min. depth 4.25".
- Mounts to C-B series hump brackets ordered separately (pgs C46-50) or any Trak-Mount Base ordered separately (pgs C39-41)
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- · See pgs C29-37 for optional console accessories
- · See pgs C21-27 for control head equipment brackets



15" 9 lbs.

5" 9 10

Contact us at:

Ph: 800.524.9900 or 215.957.0720

E-mail: sales@havis.com

Fax: 215.957.0729 Web: www.havis.com

:

ANGLED SERIES CONSOLES (AS SERIES)

By: Havis-Shields

ANGLED SERIES CONSOLES

Maximum Equipment Mounting Area

Weight

Part Number C-AS-1725



17" Enclosed 25° Angled Series Console

- 10.5" high, 9" wide, 19" length, max. depth 10", min. depth 3 25"
- Mounts to C-B series hump brackets ordered separately (pgs C46-50) or any Trak-Mount Base ordered separately (pgs C69-41)
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- See pgs C29-37 for optional console accessories
- · See pgs C21-27 for control head equipment brackets



17"

9 lbs.

C-AS-840-8



(Replaces P/N C-800-8D)

- 8" enclosed console for sedans
- 8" deep
- · Fits under the dash & in front of bench seats
- · Mounts directly to the vehicle floor or C-TM Trak-Mount Base
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- · See pgs C21-27 for control head equipment brackets



8"

4 lbs.

C-AS-840-11



(Replaces P/N C-800-11D)

- 8" enclosed console for light trucks & SUV's.
- 11" deep
- · Fits under the dash for bench seats
- · Mounts directly to the vehicle floor or C-TM Trak-Mount Base
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- · See pgs C21-27 for control head equipment brackets



8"

5 lbs.

Contact us at:


Ph: 800.524.9900 or 215.957.0720 C6 E-mail: sales@havis.com

Weight

C-CB-1

Part Number

COMBINATION BOXES




Combination Box w/ Hinged Armrest and (3) Lighter Plug Outlets

- 6" wide, 11.25" long (including lighter outlet box) x 9" deep, 2" thick molded rubber armrest pad for comfort
- The new design includes a modular (3) lighter outlet box with 15 amp inline fuse and wire harness included
- 16 gauge formed steel housing with extruded aluminum top frame
- Designed to mount behind AS console to Trak-Mount base or to any flat surface
- No vehicle mounting kit required
- Recommended for Trak-Mount mounting
- Not recommended for weapon storage



7 lbs.

C-CB-1-3610-ARM




Combination Box with Removable Hinged Arm Rest, Printer Mount, and (3) Three Lighter Plug Outlets

- 6" wide x 9" deep x 13.5" high
- Lighter outlets include 15 amp in-line fuse and wire harness
- 16 gauge formed steel housing with extruded aluminum top frame
- Designed to mount behind AS console to Trak-Mount base or any flat surface
- No vehicle mounting kit required
- Recommended for Trak-Mount mounting



7 lbs.

C-CB-2




Combination Box/Removable Hinged Armrest

- 6" wide, 9" long x 9" high, 2" thick molded rubber armrest pad for comfort
- No lighter outlets
- 16 gauge formed steel housing with extruded aluminum top frame
- Designed to mount behind AS console to Trak-Mount base or to any flat
- No vehicle mounting kit required
- Recommended for Trak-Mount mounting
- Not recommended for weapon storage



7 lbs.

C-CB-690



Optional C-SP-3" Switch plate shown

6" Console Combination Box Complete w/EB & FP

- Designed to hold control heads that are too deep for AS series console
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- 16 gauge formed steel housing with extruded aluminum top frame
- 9" long, 9" high, 6" wide
- Designed to mount behind AS console to Trak-Mount base or to any flat
- No vehicle mounting kit required
- See pgs C29-37 for optional console accessories



6 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com


C8



ANGLED SERIES CONSOLES (AS SERIES)

Part Number

C-CB-690-LP3



Optional C-SP-3" Switch plate shown

6" Console Combination Box & (3) 12 volt Lighter Outlets Complete w/EB & FP

- Designed to hold control heads that are too deep for AS series console
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- Design includes a modular (3) lighter outlet box with 15 amp in-line fuse and wire harness included
- 16 gauge formed steel housing with extruded aluminum top frame
- 11.25" long, 9" high, 6" wide
- Designed to mount behind AS console to Trak-Mount base or to any flat surface
- · No vehicle mounting kit required
- · See pgs C29-37 for optional console accessories



6 lbs.

Weight

C-CB-LOCK



Cam style lock and key to secure equipment in combination boxes

- · Must be ordered separately
- · Not recommended for weapon storage

C-AB-LP3

ACCESSORY BOX OPTIONS

Accessory box with (3) lighter plug outlets • 6" wide x 2-5/8" deep x 5-7/16" high



- Lighter outlets include 15 amp in-line fuse and wire harness
- · Manufactured from 16 gauge formed steel
- · Designed to mount on console or any flat surface

4 lbs.

C-AB-SW4



Accessory box with (4) switches

- 6" wide x 2-5/8" deep x 5-7/16" high
- On/Off black paddle type rocker switches with red pilot light
- · Manufactured from 16 gauge formed steel
- · Designed to mount on console or any flat surface

4 lbs.

4 lbs.

C-AB-LP3-SW4




Accessory box with (3) lighter plug outlets and (4) switches

- 6" wide x 2-5/8" deep x 5-7/16" high
- · Lighter outlets include 15 amp in-line fuse and wire harness
- On/Off black paddle type rocker switches with red pilot light
- · Manufactured from 16 gauge formed steel
- · Designed to mount on console or any flat surface

C-AS-CCP-RAD-CV

CLIMATE CONTROL MOUNTING PLATFORM



Climate Control Mounting Platform & Radio Relocation Equipment Bracket for 1995-2008 Crown Victoria

- Allows permanent computer monitor mounting on Crown Vic dash without permanent modification of Ford OEM components
- Provides a mounting surface for relocating the air conditioner system & radio controls
- Relocates the radio to all the AS Series 25° Consoles (ordered separately)
- · Includes wire cover panels (pair) to conceal all wiring
- C-WH-RCV 4' Radio Extension Wire Harness available (see page C76)



3 lbs.

Contact us at:


Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

Weight

C-CUP2-E-AS

Part Number

CUP HOLDERS



Dual External Cup Holder 25° Bend AS Series

- · Mounts externally flush to the rear of all 25° AS Series console
- 4" Long x 8.625" Wide x 3" Deep
- · Accepts cups up to 3.375" dia.
- · Replaces multiple cup holders, including the C-CHNY-2



3 lbs.

C-AS-MMP

MONITOR MOUNTS & WIRE COVER PANELS




Monitor Mounting Platform For 25° Angled Series Console

- · Horizontal top mounting surface for adding a monitor
- · Includes hardware for mounting to existing holes in top end of AS Series console
- 16 gauge formed steel
- Order monitor mount separately (see pgs C63-68)
- · Weight distributing bottom plate for added strength



3 lbs.

C-AS-MMP-CV




Monitor Mounting Platform & Wiring Cover Panel (Pair) for Crown Vic

- · Contoured wiring panels for 1995-2008 Ford Crown Vic
- · Horizontal top mounting surface for adding a monitor
- Includes hardware for mounting to existing holes in top end of AS Series
- 16 gauge formed steel
- Order monitor mount separately (see pgs C63-68)
- · Weight distributing bottom plate for added strength



3 lbs.

C-AS-MMP-IMP



Monitor Mounting Platform & Wiring Cover Panel (Pair) for Impala

- · Contoured wiring panels for 2000-2005 Chevrolet Impala
- · Horizontal top mounting surface for adding a monitor
- Includes hardware for mounting to existing holes in top end of AS Series console
- 16 gauge formed steel
- Order monitor mount separately (see pgs C63-68)
- Weight distributing bottom plate for added strength



3 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com


By: Havis-Shields

ANGLED SERIES CONSOLES (AS SERIES)

Part Number Weight

C-AS-WP-CV-1060

WIRE COVER PANELS




Wiring Cover Panel (Pair) for Crown Vic C-AS-1060

- · Panels contour to dashboard for custom appearance
- · Easily removed for wiring access and service
- · Modular design allows for transfer of console to different style vehicle
- · Mounts to existing holes in C-AS-1060 console only
- Fits 1995-2008 Ford Crown Vic



3 lbs.

C-AS-WP-IMP-1060




Wiring Cover Panel (Pair) for Impala C-AS-1060

- · Panels contour to dashboard for custom appearance
- · Easily removed for wiring access and service
- · Modular design allows for transfer of console to different style vehicle
- · Mounts to existing holes in C-AS-1060 console only
- · Fits 2000-2005 Chevrolet Impala



3 lbs.

C-AS-WP-CV




Wiring Cover Panel (Pair) for Crown Vic 25° Angled Series Console

- · Panels contour to dashboard for custom appearance
- Easily removed for wiring access and service
- · Modular design allows for transfer of console to different style vehicle
- Mounts to existing holes in C-AS-1025, 1325, 1525 & 1725 consoles
- Fits 1995-2008 Ford Crown Vic



3 lbs.

C-AS-WP-IMP



Wiring Cover Panel (Pair) for Impala 25° Angled Series Console

- · Panels contour to dashboard for custom appearance
- · Easily removed for wiring access and service
- · Modular design allows for transfer of console to different style vehicle
- · Mounts to existing holes in C-AS-1025, 1325, 1525 & 1725 consoles only
- · Fits 2000-2005 Chevrolet Impala



3 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com


ENCLOSED CONSOLES

The original Consolidator — a proven benchmark

- Enclosed Series Consoles are the original Consolidator Consoles
- Over 100,000 units sold since 1993
- High-strength extruded aluminum frame
- Easy height adjustment and installation
- Simple, modular mounting kits



Enclosed Console (C-3011)



Maplights with high-output halogen bulb and sliding red lens shown with side mount option (C-ML-MCB shown)

Laptop Computer Mounts

TM Series computer mounting bracket for laptops and docking stations. Swivels 85° (C-3090-2 shown)

12V Power Outlets and Switch Panels (C-LP-2 shown)

Wide-Diameter Internal and External Cup Holders (C-CHNY shown)

Unique "Slide Track" design with extruded side rails makes adding and positioning options and accessories simple and allows them to remain adjustable

Trak-Mount Base can be used alone to mount equipment or with a console to extend equipment mounting area and mount a mobile computer (C-TM-12 shown)

Vehicle Specific Heavy-Duty


Steel Hump Mount Brackets provide stability, a clean "trouble-free fit" and easy installation because they bolt to existing seat-mounting holes and require no drilling (C-B7 shown)


By: Havis-Shields


ENCLOSED SERIES CONSOLES (C SERIES)


ENCLOSED SERIES CONSOLES














ENCLOSED SERIES CONSOLES FOR APPLICATIONS WITH LIMITED SPACE

- Vehicle mounting brackets are included and are vehicle specific. See our vehicle application chart (pages 7-10)
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- See pgs. C20-28 for control head equipment brackets
- Available in the following lengths: 8", 10", 12", 14" and 18"
- *C-1200, C-1400, and C-1800 models are available in a low-profile design (3.125" high x 9" wide). Add "-LP" at the end of the part number.

Part Number	Console Length	Max. Equipment Mounting Area	Weight
C-800	8"	8"	5 lbs
C-1000	10"	10"	5 lbs.
C-1200	12"	12"	5 lbs.
C-1200LP	12"	12"	5 lbs.
C-1400	14"	14"	6 lbs.
C-1400LP	14"	14"	6 lbs.
C-1800	18"	18"	7 lbs.
C-1800LP	18"	18"	7 lbs.










ENCLOSED SERIES CONSOLES FOR CHEVROLET IMPALA

- Vehicle mounting brackets are included and are vehicle specific. See our vehicle application chart (pages 7-10)
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- · See pgs. C20-28 for control head equipment brackets
- · Available in the following lengths: 10", 12", 14" and 18"

Part Number	Console Length	Max. Equipment Mounting Area	Weight
C-1000-IMP	10"	10"	5 lbs.
C-1200-IMP	12"	12"	5 lbs.
C-1400-IMP	14"	14"	6 lbs.
C-1800-IMP	18"	18"	7 lbs.



LIGHT AND MEDIUM TRUCK CONSOLES (SUV & FULL SIZE ONLY)

- Vehicle mounting brackets are included and are vehicle specific. See our vehicle application chart (pages 7-10)
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- See pgs. C20-28 for control head equipment brackets
- · See pg. 36 for accessory pockets to add to consoles

Part Number	Console Length	Max. Equipment Mounting Area	Weight
C-2410	24"	24"	18 lbs.
C-3010	30"	30"	18 lbs.
C-3201	32"	19" (includes 13" x 9" carpeted storage box)	18 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

10 lbs.


CONSOLES TRAK-MOUNT COMBO

CONSOLES TRAK-MOUNT COM



C-1000TM, C-1000TM-IMP


Part Number



- C-1000TM, 10" Console with 12" Trak Mount Extrusion & Mounting Brackets.
- C-1000TM-IMP, 10" Console with 12" Trak Mount Extrusion & Mounting Brackets for Impala. "-IMP" model housing is 8.375" wide at bottom to fit between bucket seats.
- See enclosed console page C12 for dimensions and specs

8 lbs.


C-1200TM, C-1200TM-IMP



- C-1200TM, 12" Console with 12" Trak Mount Extrusion & Mounting Brackets.
- C-1200TM-IMP, 12" Console with 12" Trak Mount Extrusion & Mounting Brackets for Impala. "-IMP" model housing is 8.375" wide at bottom to fit between bucket seats.
- · See enclosed console page C12 for dimensions and specs

8 lbs.


C-1400TM, C-1400TM-IMP



- C-1400TM, 14" Console with 12" Trak Mount Extrusion.
- C-1400TM-IMP, 14" Console with 12" Trak Mount Extrusion & Mounting Brackets for Impala. "-IMP" model housing is 8.375" wide at bottom to fit between bucket seats.
- · See enclosed console page C12 for dimensions & specs.

9 lbs.

C-1800TM, C-1800TM-IMP, C-1800TM-LP



- C-1800TM, 18" Console with 12" Trak Mount Extrusion.
 - **C-1800TM-IMP**, 18" Console with 12" Trak Mount Extrusion & Mounting Brackets for Impala. "-IMP" model housing is 8.375" wide at bottom to fit between bucket seats.
- C-1800TM-LP, 18" Low Profile Console with 12" Trak Mount Extrusion & Mounting Brackets. "-LP" model housing is 4" high to sit flush with top of seats. Great for mounting two-piece, remote style control heads.
- · See enclosed console pages C12 for dimensions & specs.

C-3083-1

9" BRACKET SLIDE RAIL



9" Bracket Slide Rail

- · Allows computer mounts to be mounted over top of all 9" consoles
- See computer mounts on pages C67-68



1 lb.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

VEHICLE-SPECIFIC CONSOLES

Custom look for half the cost

- Precision laser-cut steel fits every contour of your OEM interior
- Attaches directly to or replaces existing OEM console mounts for easy installation
- · No modification to vehicle is required, which helps maintain resale value
- Over 500 control head specific mounting brackets to choose from
- Supports covert look for undercover professionals and chief vehicles



Console Installed in Chevrolet Tahoe (C-VS-1200-GM



2006-2007 Ford Explorer (C-VS-1600-EXPL)

- Easy Installation attaches directly to OEM console
- Ideal for Limited Amount of control heads or equipment
- Perfect Unit to complete the undercover and covert operations vehicle
- Custom Fit and Appearance
- No Permanent vehicle modification required



2006-2007 Chevrolet Impala (C-VS-1000-IMP-1)

VEHICLE-SPECIFIC APPLICATIONS



Ford E-Series Van



Dodge Durango



Chevrolet Tahoe



Ford Expedition



Dodge Charger

Maximum Equipment Mounting Area

3 lbs.

5 lbs.

19 lbs.

VEHICLE SPECIFIC CONSOLES (VS SERIES)



Weight

3 lbs.

Part Numi	er
C-VS-800-C	V

0

8" Under Dash Console For 1995-2008 Ford Crown Victoria

- Uses existing side tray brakcets from ashtray
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- Used to mount remote type control heads (limited depth)
- Must be ordered separately: HVAC control relocation bracket (P/N C-EB40-ACV-1P), AM/FM relocation bracket (P/N C-EB40-RCV-1P)
- Relocates lighter plug and trunk release to the side
- No vehicle mounting kit required
- See console appendix (page C82) for mounting depth allowed for control heads and/or options.

C-VS-700-DUR



7" Console for 2004-2008 Dodge Durango

- Mounts over top of factory OEM console without modification
- Approx. 6" of depth for control heads
- · No vehicle mounting kit required
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- See pgs C20-28 for control head equipment brackets


C-VS-1200-DUR



12" console for 2004-2008 Dodge Durango

- Replaces top of factory OEM console without permanent modification
- 7" maximum depth near the front of the console and maximum 5" depth near the rear with varying equipment restrictions on the sides
- No vehicle mounting kit required
- 12" maximum equipment mounting area
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- Includes a C-EB15-DUR-1P face plate for the OEM switch and 12 volt socket
- See pgs C20-28 for control head equipment brackets

C-VS-3011-DUR



For 2004-2008 Dodge Durango


- Includes 30" console with 13" x 9" carpeted storage compartment and armrest mount assembly
 - OEM armrest pad is removed and mounted over storage compartment
- Includes C-M-5 Vehicle Mounting Kit (2 C-B1 Bail Brackets)
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- Must order C-TM-DUR Trak-Mount assembly separately (see page C39)
- See pgs C20-28 for control head equipment brackets



12"



C-VS-WP-DUR



Wiring Cover Panel for Durango C-VS-3011-DUR & C-TM-DUR (optional w/ C-VS-3011-DUR, standard w/ C-TM-DUR)

- · Panels contour to dashboard for custom appearance
- Covers under dash area after OEM console is removed
- Easily removed for wiring access and service
- Modular design allows for transfer of console to newer vehicle
- Fits 2004 -2008 Dodge Durango



3 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 Fax: 215.957.0729 E-mail: sales@havis.com Web: www.havis.com

C15



Part Number C-VS-1000-IMP-1



10" Under Dash Console 2006-2008 Chevrolet Impala

- · Easy to install
- · No permanent modification required
- · C-B43 hump mount bracket (no holes drilled) included
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options




Weight

Maximum Equipment

Mounting Area

C-VS-1000-IMP-1-TM




10" Under Dash Console with 30" Trak Mount Extrusion for 2006-2008 Chevrolet Impala

- Easy to install
- · No permanent modification required
- C-B43 hump mount bracket and C-B42 rear support bracket included
- 30" long two-tier Trak-Mount (18"L front x 12"L rear x 2"H rise)
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose the console mounting area less internal mount options



C-VS-700-EXPL




7" Console for 2002-2005 Ford Explorer

- · Mounts over top of factory OEM console without modification
- · Approx. 7" of depth for control heads
- · No vehicle mounting kit required
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- See pgs C20-28 for control head equipment brackets
- See below for 2006 Ford Explorer



5 lbs.


C-VS-1200-EXPL



12" Console for 2002-2005 Ford Explorer

- 2005 Explorer requires that removal of OEM Traction Control Switch and relocate it into console equipment bracket included with console (p/n C-EB-15-EXP-1P)
- HVAC block off plate included prevents warm/cold air from blowing into the bottom of installed radios
- Replaces top of factory OEM console without permanent modification
- · Includes two lighter plug outlets
- · 6.75" maximum depth near the front of the console
- · No vehicle mounting kit required
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- · See pgs C20-28 for control head equipment brackets
- See below for 2006 Ford Explorer





16" Console for 2006-2008 Ford Explorer and 2007-2008 Ford Sport Trac

- Replaces top of factory OEM console without permanent modification
- · Includes gear shift cover plate with (2) lighter plug outlets & cup holder
- 10" maximum depth near the front of console 5" minimum (see side view)
- · No vehicle mounting kit required
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- C-TCB-7 Telescoping computer base recommended, C-TCB-26 also fits
- See console appendix (page C82) for mounting depth allowed for control heads and/or options

16" 16 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 Fax: 215.957.0729

E-mail: sales@havis.com Web: www.havis.com

Maximum Equipment Mounting Area Weight

5 lbs.



Part Number C-VS-1100-F150

Fits 2004-2007 Ford F-150 Series Pick-Up with optional bucket seats and OEM console only

- Mounts in accessory pocket under OEM arm rest
- Easy to install
- No permanent modification required
- No vehicle mounting kit required
- 7.5" maximum depth
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- See pgs C20-28 for control head equipment brackets

C-VS-1200-EXPD

Fits 2003-2006 Ford Expedition with OEM console only

- · Easy to install
- Includes 2" change tray at back end of cover plate
- No permanent modification required
- No vehicle mounting kit required
- 7.5" maximum depth
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- See pgs C20-28 for control head equipment brackets



C-VS-1000-TAH

10" Console for 2007-2008 Yukon/Tahoe and Suburban/Yukon XL and Sierra/Silverado Pickup New Body Style

- Replaces top of factory OEM console without permanent modification
- 7" of depth at front, 6.25" depth at rear for control heads
- Does not work with 40/20/40 bench seat
- No vehicle mounting kit required
- Includes two (2) 12 volt sockets (one each side)
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose the console mounting area less internal mount options.
- OEM lower dash switches to be re-used and adapted to side of console
- See pgs C20-28 for control head equipment brackets

C-VS-1200-GM

12" Console for 2003-2007 Sierra/Silverado Classic Body Style P/U's, 2003-2006 Yukon/Tahoe, and Yukon XL/Suburban SUV's with bucket seats and **OEM floor console**

- Replaces top of factory OEM console without permanent modification
- Does not work with 40/20/40 bench seat
- No vehicle mounting kit required
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- See pgs C20-28 for control head equipment brackets



24" Console for 2006-2008 Dodge Charger and 2005-2007 Magnum

- Replaces factory OEM console without permanent modification
- 8" maximum depth at rear and 4.75" minimum at the front of the console
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- Provides more space for long one piece control heads
- See console appendix (page C82) for mounting depth allowed for control heads and/or options

Contact us at:




24" 14 lbs.



Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

Fax: 215.957.0729 Web: www.havis.com

4 lbs




C18

By: Havis-Shields

VEHICLE SPECIFIC CONSOLES (VS SERIES)

Part Number C-VS-0812-CHGR

20" Console for 2006-2008 Dodge Charger and 2005-2007 Magnum



- 8" high x 9" wide x 20" long
- 8" L equipment bracket space-front model (C-SM-830), 12" L equipment bracket space-rear model (C-SM-1200). See Stout Mount section on page C2 for console dimensions (C-SM-830 and C-SM-1200)
- Reduces height between seats
- Designed to accept SM Series computer mount options and most standard accessories such as armrests (C-AP accessory pocket does not fit)
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- See console appendix (page C82) for mounting depth allowed for control heads and/or options

Maximum Equipment Mounting Area


Weight







C-VS-1800-ECO



18" Vehicle Specific Console for '04-'08 Ford Econoline Van Model E-250/E-350

- Easy to install
- · No permanent modification required
- · Designed to mount to vehicle floor surface
- No vehicle mounting kit required
- 14 gauge formed steel housing with extruded aluminum top frame
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- See pgs C20-28 for control head equipment brackets
- Measurements:
 - Height = 19"
 - Width at Engine Cover = 17"
 - Width at Face (controls) = 13.5"
 - Depth for controls top = 9" middle = 12" bottom = 4"
 - Console Top Platform = 8.5" x 13.5" wide (tapers out to 17")
 - Extends out from Engine cover at floor = 20"
 - 55° Angle
- · Ships motor freight when ordering 2 or more

18"

28 lbs.



C-VS-1800-SAV



18" Vehicle Specific Console for '02 - 08 Chevy Savanna Van Model

- Easy to install
- No permanent modification required
- · Vehicle mounting kit included
- 16 gauge formed steel housing with extruded aluminum top frame
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- See pages C20-28 for control head equipment brackets
- · Measurements:
 - Height = 19"
 - Width at Engine Cover = 17"
 - Width at Face (controls) = 13.5"
 - Depth for controls top = 9" middle = 12" bottom = 4"
 - Console Top Platform = 8.5" x 13.5" wide (tapers out to 17")
 - Extends out from Engine cover at floor = 20"
 - 55° Angle
- · Ships motor freight when ordering 2 or more

18"

28 lbs.



Contact us at:

Ph: 800.524.9900 or 215.957.0720 Fax: 215.957.0729
E-mail: sales@havis.com Web: www.havis.com

32 lbs.


C19

CONSOLIDATOR®: OEM DOUBLE CONSOLES (C-D SERIES)

Maximum Equipment Mounting Area

Weight

Part Number C-D2300-



Double 23" Console with Mounting


- Total 46" enclosed console
- Includes vehicle mounting brackets, includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- 17.8" wide x 23" long
- Specify Vehicle: (example: C-D2300-FL1)
 - FL1 = 2004-2006 Freightliner Model M-2
 - ST1 = 2004-2006 Sterling Model new Advanced Acterra
 - IN1 = 2004-2006 International DuraStar models 4100, 4300 & 4400 and WorkStar models 7300, 7400, 7500, 7600 & 7700
- See page C58 for heavy-duty computer mounts

Double 23" 32 lbs. (Total 46")

Double 15"

(Total 30")

C-D1510-



Double 23" Console with Mounting and V-Mux Control Panel Bracket

- Total 30" enclosed console with V-Mux control panel bracket top mounted
- Includes vehicle mounting brackets, includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- 17.8" wide x 23" long
- Specify Vehicle: (example: C-D1510-FL1)
 - FL1 = 2004-2006 Freightliner Model M-2
 - ST1 = 2004-2006 Sterling Model new Advanced Acterra
 - IN1 = 2004-2006 International DuraStar models 4100, 4300 & 4400 and WorkStar models 7300, 7400, 7500, 7600 & 7700
- · See page C58 for heavy-duty computer mounts

C-D-AP CONSOLIDATOR®: OEM DOUBLE CONSOLES (C-D SERIES) OPTIONS & ACCESSORIES



Double Series Accessory Pocket Rear External Mount for C-D Series

• 10" high x 17.8" wide x 10" deep

13 lbs.

C-D-AP-FS



Double Series Accessory Pocket File Storage External Mount for C-D Series

10" high x 17.8" wide x 10" deep

15 lbs

C-D-AP-L



Double Series Accessory Pocket with Pivoting Latching Lid Rear External Mount for **C-D Series**

· Protects equipment

15 lbs.

• 10" high x 17.8" wide x 10" deep

C-D-AP-FS-L



Double Series Accessory Pocket File Storage with Pivoting Latching Lid External Mount for **C-D Series**


- · Protects equipment
- 10" high x 17.8" wide x 10" deep

Contact us at:

Ph: 800.524.9900 or 215.957.0720 Fax: 215.957.0729 E-mail: sales@havis.com Web: www.havis.com 17 lbs.




C-Series Two-Piece Equipment Brackets



Measuring for Equipment Brackets

If the equipment bracket that you need is not listed in this section, provide the width, height, depth, and measurements "A" & "B" from the illustration at right.



Replacement Filler Plates and Equipment Brackets




C-FP-25 shown

C-FP-05 1/2" Filler Plate C-FP-1 1" Filler Plate C-FP-15 1-1/2" Filler Plate C-FP-2 2" Filler Plate C-FP-25 2-1/2" Filler Plate C-FP-3 3" Filler Plate C-FP-35 3-1/2" Filler Plate C-FP-4 4" Filler Plate

C-FP-5 5" Filler Plate C-FP-6 6" Filler Plate C-FP-8 8" Filler Plate C-FP-10 10" Filler Plate

Two Piece Equipment Brackets



Pair of 2-1/2" Equipment Brackets shown

C-EB15-___ 1-1/2" Equipment Bracket C-EB20-__2" **Equipment Bracket** C-EB25-___2-1/2" Equipment Bracket C-EB30-___3" **Equipment Bracket** C-EB35-___ 3-1/2" Equipment Bracket C-EB40-___4" **Equipment Bracket** C-EB45-___4-1/2" Equipment Bracket

Contact us at:

Ph: 800.524.9900 or 215.957.0720



Equipment List Abbreviations (EBxx-xxx-1P) 1 Piece Bracket

(c) Control head

(fp) Filler plate (cb) Citizen's band radio

(ch) Charger

(d) Control head- amp detached

(mc) Micro Com Series siren

(mr) Mobile radio

(ms) Master Com Series siren (ro) Remote head only

(r) Radio (ra) Radar Control head

(sm) Smart siren (sp) Switch panel (s) Siren (sr) Scanner Series of sirens

(sh) With scan head (sx) Siren with extra switch pack (tr) Vehicle tracking device (wp) With one (1) HLN Switch

(d) Control head- amp deta (eb) Equipment bracket	iched (m (p)	r) Mobile radio Pack or siren	(s) Siren (sc) Self-co
Manufacturer/Model	Abbrev.	2-Piece bracket	1-Piece bracket
Able 2			
05-6000 20A Light Control Box		C-EB25-125	
05-6040 40A Light Control Box		C-EB25-125	
05-8040		C-EB25-062	
30-0100	(s)	C-EB25-125	
30-0108	(s)	C-EB25-118	
30-1100	(s)	C-EB30-VC1	
30-1106	(s)		C-EB20-UC3-1P
30-1108	(s)	C-EB30-VC1	
30-1109	(s)		C-EB20-UC3-1P
30-2108	(s)	C-EB25-131	
30-3106	(s)	C-EB15-131	
30-3109	(s)	C-EB15-131	
30-2200	(s)	C-EB25-131	
05-8000	(sb)	C-EB25-062	
05-8042	(sb)	C-EB25-062	
30-2100	(s)	C-EB25-118	
05-5540	(sb)	C-EB25-131	
Cobra			
Cobra 18RV	(cb)	C-EB25-056	
Cobra 19 Plus	(cb)	C-EB20-200	
Cobra 19 Ultra	(cb)	C-EB20-206	
Cobra 21	(cb)	C-EB20-150	
Cobra 29	(cb)	C-EB25-068	
Cobra 40 plus	(cb)	C-EB20-081	
Cobra CB7		C-EB25-068	
Cobra 25 LTD ST	(cb)	C-EB30-062	
Code 3/Public Safety Equi	pment		
3050	(s)		C-EB20-UC3-1P
3400	(s)	C-EB25-106	
3600 Series remote head	(ro)	C-EB25-143	
3600 Series V-Con	(ss)	C-EB30-VC1	C-EB35-VC1-1P
3680	(sp)	C-EB15-100	
3700 Series V-Con II	(ss)	C-EB30-VC2	
3800 Series Master Com	(ms)	C-EB30-087	
3800 Series Micro	(mc)		C-EB40-MCC-1P
3892		C-EB30-087	
3900	(ms)	C-EB25-106	
3901		C-EB25-106	
3930	(s)	C-EB25-106	
3932	(s)	C-EB25-106	
3997	(s)		C-EB35-399-1P
3998	(s)		C-EB35-399-1P
3999	(s)		C-EB35-399-1P
	. ,	1	(

Manufacturer/Model	Abbrev.	2-Piece bracket	1-Piece bracket
415 Series	(sp)	C-EB30-100	
416 6-20's	(sp)	C-EB30-087	
26 1-30, 5-20's	(sp)	C-EB30-087	
430 1-40, 5-20's lighted	(sp)	C-EB25-100	
440L5	(sp)	C-EB20-106	
518	(sp)	C-EB20-112	
AS10 (Deluxe)	(c)	C-EB20-AS2	C-EB25-AS2-1P
AS10 (New)	(c)	C-EB20-AS2	C-EB25-AS2-1P
AS10 (Old Style)	(c)	C-EB15-125	
AS847 ArrowStik	(c)	C-EB20-AS2	C-EB25-AS2-1P
HS37	(c)	C-EB20-AS2	C-EB25-AS2-1P
Micro-Com	(s)		C-EB40-MCC-1P
Narrowstik	(c)	C-EB15-100	C-EB20-CNS-1P
Slickstik	(c)	C-EB20-AS2	C-EB25-AS2-1P
Com-Net	Refer to M	I/A-Com	
CV Electronics			
CV-110	(sp)	C-EB25-100	
CV-220-5	(sp)	C-EB25-100	
CV-220-6	(sp)	C-EB25-100	
E.F. Johnson			
Ascend/Summit Radio	(ro)		C-EB30-EFR-1P
Ascend/Summit Radio	(sc)		C-EB30-EFS-1P
53SL	(ro)		C-EB30-EFR-1P
242-8615	(r)	C-EB20-100	
Challenger	(r)	C-EB25-150	
DM975	(r)	C-EB20-DM9	
DM-MM83	(r)	C-EB25-DMM	
Status Messaging Unit		C-EB20-SMU	C-EB30-SMU-1P
Summit	(r)	C-EB25-068	
Ericsson	Refer to M	I/A-Com	
Federal Signal			
Director	(s)	C-EB35-FD1	
MS3000	(s)	C-EB15-118	
MS4000	(s)	C-EB15-118	
PA-15A	(s)	C-EB30-162	
PA-200	(s)	C-EB30-100	
PA-20A	(s)	C-EB30-168	
PA-2100	(N8)	See Note 8	
PA-300	(s)	C-EB25-118	C-EB35-PA3-1P
PA-300 w/SW300 Combo	(N10)	C-EB50-118	
PA400SS	(s)	C-EB30-118	
PA-500L	(s)	C-EB25-081	
PA640	(s)	C-EB30-081	
	(s)	C-EB40-087	
PA-70	(3)		

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

Fax: 215.957.0729

Web: www.havis.com

C22

EQUIPMENT MOUNTING BRACKETS - BY MANUFACTURER

Equipment List Abbreviations (EBxx-xxx-1P) 1 Piece Bracket (fp) Filler plate

(cb) Citizen's band radio (ch) Charger

Control head- amp detached

(mc) Micro Com Series siren

(ms) Master Com Series siren

(mr) Mobile radio

(r) Radio

(ra) Radar Control head (ro) Remote head only

(s) Siren

(sh) With scan head

(sm) Smart siren (sp) Switch panel (sr) Scanner

(ss) Series of sirens

(sx) Siren with extra switch pack (tr) Vehicle tracking device (wp) With one (1) HLN Switch

(eb) Equipment bracket		ack or siren	(sc) Self-containe
Manufacturer/Model	Abbrev.	2-Piece bracket	1-Piece bracket
SIGM-8	(c)	C-EB15-118	
SMC Series control head	(c)	C-EB15-118	
SS2000	(s)		C-EB35-SSR-1P
SS2000 SM	(s)		C-EB35-SSR-1P
SS2000 SS	(s)		C-EB35-SSR-1P
SW200	(sp)	C-EB25-187	
SW300	(sp)	C-EB25-118	C-EB25-SW3-1P
SW300 SS	(sp)	C-EB25-187	
SW300 w/PA300 Combo	(N10)	C-EB50-118	
SW400 SS	(sp)	C-EB25-125	
SW400 SSJ	(sp)	C-EB25-125	
SW70	(sp)	C-EB30-118	
V7	(c)		C-EB35-SSR-1P
V7P/S Series	(c)		C-EB35-SSR-1P
Galls			
StreetThunder XL100 (SE035)	(sp)	C-EB25-125	
StreetThunder XL200	(sp)	C-EB25-106	
StreetThunder XS100	(s)	C-EB30-VC1	
TrafficBuster	(s)	C-EB30-VC1	
WigWag Switch	(sp)		C-EB25-GWW-1P
XL300	(sp)	C-EB25-118	
General Electric (GE)	Refer to M	I/A-Com	
Icom America			
IC-3201A	(r)	C-EB20-168	
ICA110	(r)	C-EB20-131	
M56	(r)	C-EB20-162	
MB-53	(r)	C-EB15-112	
IC-F320	(mr)	C-EB20-156	
IC-F420	(mr)	C-EB20-156	
IC-F121	(mr)	C-EB20-131	
IC-F221	(mr)	C-EB20-131	
IC-A200	(r)	C-EB15-112	
Kenwood			
705D	(r)	C-EB15-150	
KCH-4	(r)	C-EB30-068	
KES-3 Speaker			C-EB30-KES-1P
TK-601S	(r)	C-EB25-075	
TK-6110	(sc)	C-EB20-118	C-EB25-TK6-1P
TK-630H	(r)	C-EB25-075	
TK-690	(r)	C-EB25-081	C-EB30-TK7-1P
TK-690H	(r)	C-EB25-081	C-EB30-TK7-1P
TK-700	(r)	C-EB25-075	
TK-701S	(r)	C-EB25-075	

Manufacturer/Model	Abbrev.	2-Piece bracket	1-Piece bracket
TK-720	(r)	C-EB25-081	
TK-720H	(r)	C-EB25-081	
TK-722R	(r)	C-EB20-181	
TK-730	(r)	C-EB25-075	
TK-760	(r)	C-EB15-156	C-EB20-TK8-1P
TK-762	(r)	C-EB15-156	C-EB20-TK8-1P
TK-780	(r)	C-EB15-156	C-EB20-TK8-1P
TK-790	(r)	C-EB25-081	C-EB30-TK7-1P
TK-790H	(r)	C-EB25-081	C-EB30-TK7-1P
TK-805	(r)	C-EB15-162	
TK-8150	(r)	C-EB20-075	
TK-8180	(sc)	C-EB20-112	C-EB25-T81-1P
TK-7180	(sc)	C-EB20-112	C-EB25-T81-1P
TK-7160	(sc)	C-EB20-112	C-EB25-T81-1P
TK-8160	(sc)	C-EB20-112	C-EB25-T81-1P
TK-822	(r)	C-EB25-181	
TK-830	(r)	C-EB25-075	
TK-840	(r)	C-EB20-156	
TK-860	(sc)	C-EB15-156	C-EB20-TK8-1P
TK-862	(r)	C-EB15-156	C-EB20-TK8-1P
TK-880	(r)	C-EB15-156	
TK-890	(r)	C-EB25-081	C-EB30-TK7-1P
TK-890H	(r)	C-EB25-081	C-EB30-TK7-1P
TK-930	(r)	C-EB20-137	
TK-940	(r)	C-EB15-156	
TK-980	(r)	C-EB15-156	
TM-G707A	(r)	C-EB20-156	
M/A-COM			
803 2 pc.	(r)		C-EB30-MAO-1P
KMC Mobile	(r)		C-EB30-KMC-1P
OpenSky CH-103	(c)		C-EB30-MAO-1P
EDACS ProVoice Jaguar 725M	(r)	C-EB25-081	
M/A-Com/Com-Net/Ericsso	n/GE		
5825TM	(r)	C-EB50-081	
950	(r)	C-EB20-100	
CH-721	(ro)		C-EB30-CH7-1P
Delta		C-EB20-168	
Ericsson EDACS		C-EB-20-081	
Ericsson KMC 100/300		C-EB25-081	
Ericsson KMC 100/300			C-EB30-KMC-1P
Ericsson MRK portable	(r)		C-EB35-EPG-1P
FMD 887			C-EB30-FMD-1P
GE Ranger S-825	(r)		C-EB50-GER-1P
GE/Ericsson Ranger S-500	(c)		C-EB50-GE5-1P

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

Equipment List Abbreviations (EBxx-xxx-1P) 1 Piece Bracket

(c) Control head

(fp) Filler plate (cb) Citizen's band radio (mc) Micro Com Series siren

(ch) Charger

(d) Control head- amp detached

(ms) Master Com Series siren

(mr) Mobile radio

(r) Radio

(ra) Radar Control head

(ro) Remote head only

(s) Siren (sc) Self-contained

(sh) With scan head (sm) Smart siren

(sp) Switch panel

(sr) Scanner Series of sirens (sx) Siren with extra switch pack (tr) Vehicle tracking device

(wp) With one (1) HLN Switch

(eb) Equipment bracket	(p)	Pack or siren	(sc) Self-
Manufacturer/Model	Abbrev.	2-Piece bracket	1-Piece bracket
Master Executive II	(r)	C-EB30-GE5 w/ FP-1	
Master II EC76KKG66A	(r)	C-EB30-GM2 w/ FP-3	
Mastic II	(r)	C-EB30-106	
MDX800 Remote head only	(ro)		C-EB30-FMD-1P
MGM148		C-EB20-118	
MGM450		C-EB20-131	
MLS		C-EB25-081	
MLS-8031	(r)	C-EB50-MLS	
MLSL		C-EB25-062	
Monogram UHF	(r)	C-EB20-118	
MVS		C-EB25-062	
MVS no adjustment	(ro)	C-EB25-GE4	
Orion 1 pc. Self Contained	(r)		C-EB30-EOS-1P
Orion 2 pc. Remote	(ro)		C-EB30-EOR-1P
Orion flush mount-no adjustment		C-EB25-GE3	
Panther 300M	(r)	C-EB25-075	
Panther 600M	(sc,r)		C-EB30-EPA-1P
Phoenix		C-EB25-062	
Portable MPS Charger		C-EB30-100	
Powercall	(s)	C-EB25-100	
Powercall 4EA22812		C-EB25-112	
Powercall Plus DX5	(s)	C-EB25-131	
Ranger N-9H02	(N3)	C-EB50-068	
Ranger N-9HH0A110B		C-EB20-087	
Ranger S-550			C-EB50-G55-1P
Repeater		C-EB30-100	
S-825	(N12)	C-EB50-087	
S-990	(r)	C-EB20-G99	
S-990 W/R100050A		C-EB35-G99	
Voice Guard		C-EB20-075	
Voice Guard w/swivel adjust- ment	(ro)	C-EB30-GE4	
EDACS 500M	(mr)	C-EB25-093	
Midland/Securicor			
10-1337B	(N5) (r)		C-EB25-M7B-1P
2001 Precision	(N5) (cb)	C-EB25-168	
30-175	(N5) (r)	C-EB25-187	
70-0351A	(N5) (r)		C-EB30-M1A-1P
70-0355	(N5)	C-EB25-200	
70-0375	(N5) (r)	C-EB25-193	
70-0500C	(N5) (r)	C-EB25-056	
70-1340B	(N5) (r)	C-EB25-043	
70-1341B	(N5) (r)	C-EB25-M1B	

Manufacturer/Model	Abbrev.	2-Piece bracket	1-Piece bracket
70-1395B	(N5) (r)	C-EB25-193	
70-1440	(N5) (r)	C-EB25-200	
70-1495	(N5) (r)	C-EB25-200	
70-1530	(N5) (r)	C-EB20-081	
70-1532	(N5) (r)	C-EB25-043	
70-1632	(N5) (r)	C-EB25-200	
70-1650	(N5) (r)	C-EB25-200	
70-1695	(N5) (r)	C-EB25-200	
70-336	(N5) (r)	C-EB30-056	
70-340B	(N5)	C-EB30-062	
70-342BXL	(N5)	C-EB30-068	
70-380	(N5) (r)	C-EB25-068	
70-3800B	(N5)	C-EB20-206	
70-440B	(N5)	C-EB25-250	
70-442BXL	(N5) (r)	C-EB25-243	
70-480	(N5) (r)	C-EB25-243	
70-480B	(N5)	C-EB20-256	
70-482B	(N5) (r)	C-EB20-256	
70-485	(N5)	C-EB25-243	
70-665B	(N5) (r)	C-EB25-243	
75-285A	(N5) (cb)	C-EB20-118	
77-118	(N5) (cb)	C-EB25-056	
77-285axl	(N5) (cb,r)	C-EB20-125	
LMR	(N5) (r)	C-EB25-062	
LMR70-1337B	(N5) (r)	C-EB15-093	
Syntech I 3-3/4w	(N5) (r)	C-EB25-243	
Syntech II LMR 4-3/4w	(N5) (r)	C-EB25-193	
Syntech II MR 7-1/2w	(N5) (r)	C-EB25-056	
Titan	(N5)	C-EB25-243	
Motorola			
Astro Digital Spectra W5	(ro)		C-EB25-MA5-1P
Astro Digital Spectra W9	(ro)		C-EB40-MA9-1P
Astro Digital Spectra W4	(sc)	C-EB20-075	
Astro Digital Spectra W7	(sc)	C-EB20-075	
CDM 750, 1250, 1550 flush-mounting	(ro)		C-EB30-CDR-1P
CDM 750, 1250, 1550 flush-mounting	(sc)		C-EB30-CDS-1P
CDM 750, 1250, 1550	(ro)		C-EB25-CDR-1P
CDM 750, 1250, 1550	(sc)		C-EB25-CDS-1P
CM200	(r)	C-EB20-075	
CM300	(r)	C-EB20-075	C-EB25-MRD-1P
Convertacom N1248A		C-EB40-125	
Convertacom STX N1352B	(ch)	C-EB30-118	
DEK mini	(c)	C-EB15-HLN	C-EB15-HLN-1P

Contact us at:

Ph: 800.524.9900 or 215.957.0720

E-mail: sales@havis.com

Fax: 215.957.0729

Web: www.havis.com

C24

EQUIPMENT MOUNTING BRACKETS - BY MANUFACTURER

Equipment List Abbreviations (EBxx-xxx-1P) 1 Piece Bracket

(fp) Filler plate

(mc) Micro Com Series siren (cb) Citizen's band radio (ms) Master Com Series siren (ch) Charger

Control head- amp detached (mr) Mobile radio (d)

Radio

Radar Control head (ra) Remote head only (ro)

Siren (s)

(sh) With scan head

(sm) Smart siren Switch panel (sp) Scanner (sr)

(ss)

(sx) Siren with extra switch pack (tr) Vehicle tracking device (wp) With one (1) HLN Switch

Series of sirens Manufacturer/Model Abbrev. 2-Piece bracket 1-Piece bracket Radius M400 C-EB35-100 Radius SM120 C-EB15-100 C-EB15-100 Radius SM50 C-EB25-MRD-1P Repeater HD90 NTN4226A (mr) C-EB30-118 Repeater HT600 (mr) C-EB30-062 Repeater MT1000 (mr) C-EB30-062 C-EB30-062 w/ Repeater NTN5438A (mr) FP-2 Repeater R200 (mr) C-EB30-062 Spectra A4 (sc) C-EB20-075 Spectra A4 (ro) C-EB20-MA5 Spectra A5 (sc) C-EB20-075 Spectra A5 C-EB25-MA5-1P (ro) C-EB20-075 Spectra A7 (sc) Spectra A7 (ro) C-EB25-MA5-1P (N11) C-EB35-MA9 Spectra A9 C-EB40-MA9 or C-FB40-MA9-1P (ro) (N10)C-EB50-MA9 Spectra A9 (wp) Spectra A9 (PA State C-EB50-SA9-1P Police) (N11)C-EB35-MA9 Spectra A9 (S9000) C-EB40-MA9 or (ro) C-EB40-MA9-1P Spectra C7 C-EB20-075 Spectra SST (New 1995) C-EB20-075 C-EB35-MA9 or Syntor X 9000 (N11)C-EB40-MA9 C-EB40-MA9-1P Syntor X Systems 90 (N10) C-EB50-MST Syntor X Systems 90 6-C-EB25-MST 7/8wide Tac Box C-EB25-112 TEK mini C-EB15-HLN C-EB15-HLN-1P (c) Vertex C-EB20-112 Wild Card Combo (HLN) (N10)C-EB30-MWC XTL1500 C-EB25-MMT-1P (sc) XTL 2500 (ro) C-EB25-XTL-1P XTL 2500 (sc) C-EB25-MMT-1P XTL 5000 C-EB25-MMT-1P (mr) XTL 5000 W4 (ro) C-EB25-MA5-1P XTL 5000 W5 C-EB25-MA5-1P (mr) XTL 5000 W7 C-FR25-MMT-1P (sc) (N11) C-EB35-MA9 XTL 5000 W9 (ro) C-EB40-MA9 or C-EB40-MA9-1P C-EB25-XTL-1P XTL 5000-05 (2005) (ro) XTVA Base Station Vehicle (ch) C-EB40-MXT-1P Adapter

C-EB25-100

(sp)

(eb) Equipment bracket	(p) Pack or siren		(sc) Self-contai
Manufacturer/Model	Abbrev.	2-Piece bracket	1-Piece bracket
GM-300		C-EB20-075	
GTX		C-EB20-100	
HLM Series Siren W269		C-EB15-HLN	C-EB15-HLN-1P
HLN Series Switching W591		C-EB15-HLN	C-EB15-HLN-1P
HT1000 Charger	(ch)	C-EB40-250	
HT90 Charger	(ch)	C-EB30-125	
LCS		C-EB20-100	
LCS 2000		C-EB20-100	
Leern	(r)	C-EB50-106	
M-1225		C-EB20-100	
M-400	(N11((r)	C-EB40-MA9	
MA-9			C-EB15-MA9-1P
Mac100		C-EB20-075	
Mara Trac A2			C-EB40-MA3-1P
Mara Trac A3 Clamshell	(N12)		C-EB40-MA3-1P
Mara Trac A7	(N11)	C-EB40-MA9	
Mara Trac faceplate			C-EB15-MMR-1P
Matrax	(N11)	C-EB40-MA9	
Max Trac		C-EB20-075	
Max Trac 3000			C-EB25-MMT-1P
Maxar	(r)	C-EB25-106	
Maxar 50	(r)	C-EB25-187	
MCS2000 Model 1	(sc)	C-EB20-093	
MCX100		C-EB20-075	
MCX1000		C-EB20-075	
Micro-trunk mount		C-EB20-081	
Mitrek		C-EB20-156	
Mocom 70		C-EB40-MOC	
Mostar		C-EB20-075	
MSC2000 Model 1	(ro)	C-EB20-MCS	
MSC2000 Model 2 or 3	(sc)		C-EB30-MCS-1P
MSC2000 Model 2 or 3	(ro)		C-EB30-MCR-1P
MT100	(ch)	C-EB30-062	
MT500	(ch)	C-EB30-056	
MTS2000	(ch)	C-EB40-250	
MTX8000	(ch)	C-EB40-250	
MTX9000	(ch)	C-EB40-250	
PM400	(sc)	C-EB20-093	C-EB25-MPM-1P
PM1500	(r)		C-EB30-MPM-1P
Radius		C-EB20-075	
Radius 2000		C-EB20-075	
Radius M120		C-EB20-075	
Radius M1225		C-EB15-100	C-EB25-MRD-1P
Radius M216		C-EB20-075	

Contact us at:

Premier Hazard 620-225

Ph: 800.524.9900 or 215.957.0720 Fax: 215.957.0729 E-mail: sales@havis.com Web: www.havis.com



(sx) Siren with extra switch pack

Equipment List Abbreviations (EBxx-xxx-1P) 1 Piece Bracket

(c) Control head (cb) Citizen's band radio

(ch) Charger

(d) Control head- amp detached

(fp) Filler plate

(mc) Micro Com Series siren (ms) Master Com Series siren

(mr) Mobile radio

(r) Radio

(ra) Radar Control head

(ro) Remote head only (s) Siren

(sh) With scan head (sm) Smart siren

(sp) Switch panel

(tr) Vehicle tracking device (wp) With one (1) HLN Switch

(eb) Equipment bracket (p) Pack or siren

(sr) Scanner (sc) Self-contained (ss) Series of sirens

(eb) Equipment bracket	(p)	Pack of Silen	(SC) Sell-Colli
Manufacturer/Model	Abbrev.	2-Piece bracket	1-Piece bracket
620-226	(sp)	C-EB25-100	
PA5008	(s)	C-EB25-100	
PA5009	(s)	C-EB25-100	
Realistic			
PRO 2025	(sr)	C-EB30-081	
PRO 2026	(sr)	C-EB20-118	
PRO 2066	(sr)	C-EB20-081	
PRO 2067		C-EB20-093	
RMV60B	(r)	C-EB25-131 w/ FP-15	
TRC419		C-EB20-081	
TRC430	(cb)	C-EB15-CB1	
TRC440		C-EB25-068	
TRC446		C-EB25-068	
TRC477	(r)	C-EB15-212	
TRC481	(cb)	C-EB20-168 w/FP-2	
TRC493		C-EB20-156	
Regency			
Informer	(cb)	C-EB20-137	
MCU		C-EB30-118	
MS7000	(sr)	C-EB30-162	
MX3000	(sr)	C-EB35-RM3	
R-806	(sr)	C-EB30-175 w/FP-2	
RH-250	(r)	C-EB30-100 w/FP-2	
Turbo	(sr)	C-EB30-100	
Relm			
BH256NB	(r)	C-EB30-112	
MS200		C-EB25-131	
RML60	(r)	C-EB30-131	
RMU45NB	(r)	C-EB30-131	
RMV60B	(r)	C-EB30-131	
SLU25	(r)	C-EB15-143	
SLU25ET	(r)	C-EB15-143	
SLV40	(r)	C-EB15-143	
SLV40ET	(r)	C-EB15-143	
SMU2516	(r)	C-EB15-143	
SMU2599	(r)	C-EB15-143	
SMV4016	(r)	C-EB15-143	
SMV4099	(r)	C-EB15-143	
Ritron			
Patriot RPM-050	(r)	C-EB25-137	
Patriot RPM-150	(r)	C-EB25-137	
I attiot IXI IVI-130			

Manufacturer/Model	Abbrev.	2-Piece bracket	1-Piece bracket				
SCI							
Scientific Prototype Mk VII	(s)	C-EB25-SP7					
Securicor	Refer to M	Refer to Midland					
Southern VP							
SA300	(s)	C-EB25-125					
SA400	(s)	C-EB25-SA4					
SA430F	(s)		C-EB40-SA4-1P				
SA430FX	(s)		C-EB40-SA4-1P				
SA440	(s)		C-EB40-SA4-1P				
SA441 Magnum	(s)		C-EB40-SA4-1P				
SA450	(s)	C-EB30-175					
SA500		C-EB25-125					
SB200		C-EB25-175					
SB4020	(sp)	C-EB25-118					
SS730	(s)	C-EB30-118					
Tait							
Tait 2010	(r)		C-EB25-T10-1P				
Uniden							
BC-350A		C-EB20-168					
BC-400XLT		C-EB20-150					
BC-510XLT		C-EB15-206					
BC-520		C-EB15-200					
BC-560XLT		C-EB15-150					
BC-590XLT	(sr)	C-EB20-112					
BC-600		C-EB25-075					
BC-700A	(sr)	C-EB15-168					
BC-760XLT		C-EB20-112					
BC-780XLT		C-EB25-081					
BC-785D	(sr)	C-EB25-081					
BC-950XLT		C-EB20-118					
BCT7		C-EB20-168					
BCT-8	(sr)	C-EB25-081					
BCT15	(sr)	C-EB25-068					
FMH-350D	(r)	C-EB30-068					
FML600A		C-EB30-056					
FMU250K		C-EB30-056					
Force		C-EB30-068					
FTH600		C-EB25-168					
FTL1100		C-EB25-168					
FTL600		C-EB25-168					
FTL800TS		C-EB25-168					
IMH4100		C-EB25-112					
MR-8100	(N8)	See note 8					
PA200		C-EB15-206					
PC68LTW	(r)	C-EB25-118					

Contact us at:

Ph: 800.524.9900 or 215.957.0720

E-mail: sales@havis.com

Fax: 215.957.0729

Web: www.havis.com



Equipment List Abbreviations (EBxx-xxx-1P) 1 Piece Bracket

Control head

(cb) Citizen's band radio (ch) Charger

(d) Control head- amp detached

(eb) Equipment bracket

(fp) Filler plate

(mc) Micro Com Series siren (ms) Master Com Series siren

(mr) Mobile radio

(p) Pack or siren

(r) Radio

(ra) Radar Control head

(ro) Remote head only

(s) Siren

(sc) Self-contained

(sh) With scan head

(sm) Smart siren (sp) Switch panel

(sr) Scanner (ss) Series of sirens (sx) Siren with extra switch pack

(tr) Vehicle tracking device (wp) With one (1) HLN Switch

(eb) Equipment bracket	(p) P	ack or siren	(sc) Self-contain
Manufacturer/Model	Abbrev.	2-Piece bracket	1-Piece bracket
PC78LTW	(cb)	C-EB25-068	
PRO500	(cb)	C-EB15-206	
PRO510XL	(cb)	C-EB15-206	
PRO520XL	(cb)	C-EB15-206	
PRO538W	(cb)	C-EB20-087	
SMH	(sr)	C-EB20-150	
SMH400D		C-EB20-156	
SMU300N		C-EB20-156	
SMU4525		C-EB25-118	
VHFCCOG7		C-EB30-150	
Unitrol			
280	(s)	C-EB20-U80	
280 w/switches	(sx)	C-EB30-U80	
3000 w/switch	(s)		C-EB20-UC3-1P
3050 w/switch	(s)		C-EB20-UC3-1P
330	(sp)	C-EB20-200	
380	(s)	C-EB20-U80	
380 w/switches	(sx)	C-EB30-U80	
380K		C-EB20-U80	
4000	(s)		C-EB20-U50-1P
480	(s)	C-EB20-U80	
480 w/switches	(sx)	C-EB30-U80	
480K		C-EB30-U80	
5000	(s)		C-EB20-U50-1P
6000	(s)	C-EB30-112	
7000	(s)	C-EB30-112	
8000	(s)	C-EB30-112	
9000		C-EB25-118	
FMH350D	(s)	C-EB30-056	
Touchmaster	(s)	C-EB25-100	
Delta Soft Touch	(s)	C-EB25-TMD	C-EB30-TM4-1P
Touchmaster TM4	(s)	C-EB25-TM4	C-EB30-TM4-1P
Touchmaster UTMD-MB	(s)	C-EB25-106	
UM-8001 Omega w/PA	(s)	C-EB30-106	
Vertex Standard/Yaesu	1 , ,	ı	
Vertex FTL2011/99	(r)	C-EB20-100	
VX-3000 (L, V or U)	1,,	C-EB20-112	
Vertex VX-4000/VX-5500/	(sc)	C-EB25-081	C-EB30-VX4-1P
VX-6000	(30)	J-LDZJ-001	O-LD00-VA4-1F
Vertex VX-4000/VX-5500/ VX-6000	(ro)		C-EB30-VX5-1P
Yaesu 1011LB	(r)	C-EB20-112	
Yaesu 2011HB	(r)	C-EB20-112	
Yaesu 7011UHFB		C-EB20-112	
Yaesu FTL 2001	(r)	C-EB30-100	
Yaesu VX		C-EB15-112	

Manufacturer/Model	Abbrev.	2-Piece bracket	1-Piece bracket
Whelen			
295HF100	(s)	C-EB25-WS1	
295HF100	(s)	C-EB25-131	C-EB30-MGC-1P
295HFRS	(s)		C-EB30-FRS-1P
295HFRS-S1 test	(s)		C-EB30-FRS-1P
295HFS2	(s)		C-EB30-FRS-1P
295HFS2X	(s)		C-EB30-FRS-1P
295HFS3	(s)	C-EB20-131	C-EB25-WTA-1P
295HFS4	(s)	C-EB35-WS9	C-EB40-WS2-1P
295HFS5/6	(s)	C-EB35-WS9	C-EB40-WS2-1P
295HFS9	(s)	C-EB35-WS9	C-EB40-WS2-1P
295HFSA1	(s)	C-EB25-131	C-EB30-MGC-1P
295HFSA5	(s)	C-EB35-131	
295HFSA6	(s)	C-EB35-WS9	C-EB40-WS2-1P
295HFSC9	(s)	C-EB25-131	C-EB30-W29-1P
295MP	(s)	C-EB25-131	
295SL100	(s)	C-EB25-WS1 C-EB25-131	C-EB30-MGC-1P
Alpha12S	(s)	C-EB25-131	
Alpha12S	(s)	C-EB25-131	C-EB30-MGC-1P
CC/WS295	(N10) (s/sp)	C-EB50-131	
Cencom CCSRN	(s)		C-EB40-CCS-1P
Cencom CCSRNTA	(s)		C-EB40-CCS-1P
Messenger	(c)	C-EB25-131	
MGC01 Arrow control	(s)	C-EB25-131	C-EB30-MGC-1P
MPC01 (B-Link)	(s)		C-EB40-WS2-1P
PCC224	(N1) (sp)	C-EB30-175	
PCC-3PC	(sp)		C-EB25-3PC-1P
PCC-4PC	(sp)		C-EB25-4PC-1P
PCC6/10	(sp)	C-EB25-131	
PCCHD Series	(sp)	C-EB25-131	
PCCHD Series	(sp)	C-EB25-131	C-EB30-MGC-1P
PCCS9N	(sp)	C-EB20-131	C-EB25-WTA-1P
PCCS9N & WS295HFS	(N10)	C-EB50-131	
PCCS9R	(sp)	C-EB20-131	C-EB25-WTA-1P
PCDS9E	(sp)	C-EB20-131	C-EB25-WTA-1P
TA1620	(c)	C-EB20-131	C-EB25-WTA-1P
TA836	(c)	C-EB20-131	C-EB25-WTA-1P
TA837	(c)	C-EB20-131	C-EB25-WTA-1P
TA870	(c)	C-EB20-131	C-EB25-WTA-1P
TACTLD1	(r)	C-EB20-131	C-EB25-WTA-1P
TACTRL1	(c)	C-EB20-131	C-EB25-WTA-1P
TACTRL2	(c)	C-EB20-131	C-EB25-WTA-1P
TACTRLD1	(c)	C-EB20-131	C-EB25-WTA-1P
TADCTL1	(c)	C-EB20-131	C-EB25-WTA-1P

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com



Equipment List Abbreviations (EBxx-xxx-1P) 1 Piece Bracket

Control head (fp) Filler plate

(cb) Citizen's band radio

(ch) Charger

(d) Control head- amp detached

(eb) Equipment bracket

(mc) Micro Com Series siren (ms) Master Com Series siren

(mr) Mobile radio

(p) Pack or siren

(r) Radio

(ra) Radar Control head

(ro) Remote head only

(s) Siren (sc) Self-contained

(sr)

(sh) With scan head (sm) Smart siren (sp) Switch panel Scanner Series of sirens (sx) Siren with extra switch pack (tr) Vehicle tracking device

(wp) With one (1) HLN Switch

(eb) Equipment bracket	(p)	Pack or siren	(sc) Self-con
Manufacturer/Model	Abbrev.	2-Piece bracket	1-Piece bracket
WS2100	(s)	C-EB25-131	C-EB30-MGC-1P
WS224	(s)		C-EB30-227-1P
WS227	(s)		C-EB30-227-1P
WS227A	(s)		C-EM40-227-1P
WS227AE	(s)		C-EB40-227-1P
WS295MPS3	(s)	C-EB25-131	
WS295MPS9	(s)	C-EB30-131	
WS310PA	(s)		C-EB20-WS3-1P
Yaesu	Refer to V	ertex Standard	
Miscellaneous			
Ace K9 Hot-N-Pop model 5010	(c)		C-EB35-RHP-1P
Ace K9 Hot-N-Pop model 5000	(c)		C-EB55-RHP-1P
Bendix King EMH		C-EB25-131	
Bendix King GMH	(r)	C-EB25-131	
Brooking Industries BR960	(sp)	C-EB25-125	
Carson Siren SC-407-10 14	(s)	C-EB30-125	
Carson SC-409	(s)	C-EB30-SC4	C-EB35-SC4-1P
Cherokee CM10	(cb)	C-EB20-137	
Colt Z28	(sr)	C-EB15-156	
Crown Vic Radio Replacement			C-EB50-RCV-1P
Decatur Genesis 1		C-EB15-DGV	
Decatur Radar Control	(c)		C-EB40-DRC-1P
Digitcom PM-825N		C-EB25-068	
Emtrac Traffic Pre-empt	(ra)	C-EB30-100	
Fujitsu Ten Radio		C-EB30-100	
Fujitsu Ten UHF-VHF Custom		C-EB65-106	
Kussmaul Hi-Idl			C-EB25-KVM-3P
Kustom Eagle Plus		C-EB20-106	
Kustom Eyewitness - Video	(c)	C-EB25-106	
Kustom Eyewitness - Video (monitor)		C-EB45-KEV	
Kustom Pro 1000 Radar	(N8) (ra)	Refer to Note 8	
Kustom Pro 1000DS (downsized model Pro1000)	(ra)	C-EB20-106	
Kustom Pro 2000DS	(ra)	C-EB20-106	
Kustom Watch Com		C-EB40-KWM	
Lo-Jack PTC3	(tr)		C-EB35-PTC-1P
Lo-Jack TRD	(tr)	C-EB30-TRD	
	(tr)		
Lund Ind. SFH-100CH	(ti)		C-EB25-LSF-1P
Lund Ind. SFH-100CH Magtech 21040082 magnetic card reader	1		C-EB25-LSF-1P C-EB15-MAG-1P

(ss) Series of sirens							
Manufacturer/Model	Abbrev.	2-Piece bracket	1-Piece bracket				
Mobile Vision System 5 - Video control head		C-EB15-MV5					
Mobile Vision System 7 - Video control head		C-EB15-MV5					
Mobile Vision Flashback		C-EB25-081					
MPH Model 36 Radar	(ra)	C-EB30-106					
Newmetrics 9 Star DMI	(c)		C-EB25-DMI-1P				
Octagon SMV2516B		C-EB25-OCT					
Patco Tracker		C-EB20-PTR					
Radio Shack TRC-481		C-EB20-162					
Radio Shack TRC-483	(cb)	C-EB20-143					
Radiotronics K9 - Lifeguard	(c)	C-EB40-281					
Rayline Spotlin			C-EB40-RCS-1P				
Scanfare M8-HL4		C-EB15-181					
Smith & Wesson 800PC	(s)	C-EB25-118					
Sony FDM-402A	(horiz.)	C-EB50-SNY					
Sony FDM-402A	(vert.)	C-EB85-SNY					
Sound Off ETM Traffic Master		C-EB20-106					
Stalker Dual by Allied Concept	(ra)	C-EB20-150					
Starlite	(c)	C-EB40-106					
Super Star 120	(cb)	C-EB15-175					
Superturbo (Galls T-AP044)	(sr)	C-EB20-168					
Tele Tec Omni	(r)	C-EB25-068					
Unistar LCS800-F	(c)		C-EB50-LCS-1P				
Unistar LCS850-F	(c)		C-EB50-LCS-1P				
Vascar Head		C-EB40-087					
Vascar Plus		C-EB30-VCP					

Note	Explanation
N1	Side switches must be moved
N3	Installer to drill mount holes
N5	Midland radios have 3 different styles; Syntec I (one or two piece), Syntec II (one or two-piece), and Syntec XTR. Syntec XTR has two different size one-piece control heads, and one two-piece head. Please specify which style.
N8	Too wide to fit inside standard console; mounts externally.
N10	Combo bracket for 2 heads.
N11	The C-EB40-MA9 allows access for control head on/off switch. C-EB35-MA9 and C-EB40-MA9-1P do NOT allow for control head on/off switch.
N12	Thin, flat clamshell-style control heads like Motorola A-3, or GE Ranger S-550 have round knobs which require access to both the

top and bottom of the control face. The wire harness comes out of the top back portion of the head. Recess mounting this type of control head won't let you see it easily. Our brackets hold the control head up and out from the console approx. 1-1/2, allowing the knobs to be used, and the numbers on the control face to be

Contact us at:

visible to the driver.

Ph: 800.524.9900 or 215.957.0720

Fax: 215.957.0729 E-mail: sales@havis.com Web: www.havis.com

C27



TWO-PIECE EQUIPMENT BRACKETS

Two-Piece Equipment Bracket Crossover Chart


For standard box-style control heads (for example: P/N EB20-150 = 2" high x 5-5/8")



Control Head Height


			Control Hea	ad Height			
	1-1/2" & under	2"	2-1/2"	3"	3-1/2"	4"	5"
3 3/8"	EB 15-262	EB 20-262	EB 25-262	EB 30-262	EB 35-262	EB 40-262	EB 50-262
3-7/16" - 3-1/2"	15-256	20-256	25-256	30-256	35-256	40-256	50-256
3-9/16" - 3-5/8"	15-250	20-250	25-250	30-250	35-250	40-250	50-250
3-11/16" - 3-3/4"	15-243	20-243	25-243	30-243	35-243	40-243	50-243
3-13/16" - 3-7/8"	15-237	20-237	25-237	30-237	35-237	40-237	50-237
3-15/16" - 4"	15-231	20-231	25-231	30-231	35-231	40-231	50-231
4-1/16" - 4-1/8"	15-225	20-225	25-225	30-225	35-225	40-225	50-225
4-3/16" - 4-1/4"	15-218	20-218	25-218	30-218	35-218	40-218	50-218
4-5/16" - 4-3/8"	15-212	20-212	25-212	30-212	35-212	40-212	50-212
4-7/16" - 4-1/2"	15-206	20-206	25-206	30-206	35-206	40-206	50-206
4-9/16" - 4-5/8"	15-200	20-200	25-200	30-200	35-200	40-200	50-200
4-11/16" - 4-3/4"	15-193	20-193	25-193	30-193	35-193	40-193	50-193
4-13/16" - 4-7/8"	15-187	20-187	25-187	30-187	35-187	40-187	50-187
4-15/16" - 5"	15-181	20-181	25-181	30-181	35-181	40-181	50-181
5-1/16" - 5-1/8"	15-175	20-175	25-175	30-175	35-175	40-175	50-175
5-3/16" - 5-1/4"	15-168	20-168	25-168	30-168	35-168	40-168	50-168
5-5/16" - 5-3/8"	15-162	20-162	25-162	30-162	35-162	40-162	50-162
5-7/16" - 5-1/2"	15-156	20-156	25-156	30-156	35-156	40-156	50-156
5-9/16" - 5-5/8"	15-150	20-150	25-150	30-150	35-150	40-150	50-150
5-11/16" - 5-3/4"	15-143	20-143	25-143	30-143	35-143	40-143	50-143
5-13/16" - 5-7/8"	15-137	20-137	25-137	30-137	35-137	40-137	50-137
5-15/16" - 6"	15-131	20-131	25-131	30-131	35-131	40-131	50-131
6-1/16" - 6-1/8"	15-125	20-125	25-125	30-125	35-125	40-125	50-125
6-3/16" - 6-1/4"	15-118	20-118	25-118	30-118	35-118	40-118	50-118
6-5/16" - 6-3/8"	15-112	20-112	25-112	30-112	35-112	40-112	50-112
6-7/16" - 6-1/2"	15-106	20-106	25-106	30-106	35-106	40-106	50-106
6-9/16" - 6-5/8"	15-100	20-100	25-100	30-100	35-100	40-100	50-100
6-11/16" - 6-3/4"	15-093	20-093	25-093	30-093	35-093	40-093	50-093
6-13/16" - 6-7/8"	15-087	20-087	25-087	30-087	35-087	40-087	50-087
6-15/16" - 7"	15-081	20-081	25-081	30-081	35-081	40-081	50-081
7-1/16" - 7-1/8"	15-075	20-075	25-075	30-075	35-075	40-075	50-075
7-3/16" - 7-1/4"	15-068	20-068	25-068	30-068	35-068	40-068	50-068
7-5/16" - 7-3/8"	15-062	20-062	25-062	30-062	35-062	40-062	50-062
7-7/16" - 7-1/2"	15-056	20-056	25-056	30-056	35-056	40-056	50-056
7-9/16" - 7-5/8"	15-052	20-052	25-052	30-052	35-052	40-052	50-052
7-11/16" - 7-3/4"	15-043*	20-043*	25-043*	30-043*	35-043*	40-043*	50-043*

^{*} For bracket series EB-043, side extrusion must be filed.



Contact us at:

Part Number
C-ARM ARM RESTS
Weight




Top Mount Armrest

- · Enhances officer comfort and efficiency
- Mounts over the enclosed console
- · Adjustable height
- More durable than sewn pads
- 9.5" long x 2.75" wide molded rubber



2 lbs.

C-ARM-2




Side Mount Armrest

- · Adjustable height
- · Mounts to the side of the enclosed console
- · More durable than sewn pads
- 9.5" long x 2.75" wide molded rubber



2 lbs.

C-ARM-3




Flip Up Armrest

- Hinge allows quick flip up for access to essential equipment
- Adjustable height from 3.5" to 5.75" from top of arm pad to top of console housing
- Mounts in the rear of the enclosed console
- More durable than sewn pads
- 5.25" wide x 10" long molded pad



7 lbs.

C-ARM-4




Top Mount Armrest

- · Adjustable front to back
- · Mounts in the rear of the enclosed console
- More durable than sewn pads
- 9.5" long x 2.75" wide molded rubber
- 2.25" fixed height above console top



2 lbs.

C-ARM-7



Internal Mount Armrest

- Adjustable height (2.19" min to 3.19" max)
- Mounts flush into a enclosed console
- 9" long x 2" high molded rubber armrest
- 2.75" wide rubber pad is more durable than sewn pads

5 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

By: Havis-Shields

Part Number C-CUP2-E-C

CUP HOLDERS



Dual External Cup Holder 0° Bend C-Series


- Mounts externally to the rear of all horizontal C-Series console
- 4" Long x 8.625" Wide x 3" Deep
- · Accepts cups up to 3.375" dia.
- · Replaces multiple cup holders, including the C-CHNY



1 lb.

Weight

C-CUP2-I



4" High Plate With Two Cup Holders Internal Mount

- · This cup holder mounts flush into your enclosed console
- Accepts cups up to 3.375" dia. and occupies only 4" of console mounting space
- Internal mounting for horizontal C-Series consoles
- 4" High x 8.625" Wide x 3" Deep
- Replaces multiple cup holders, including the C-CH-2 & C-CH-2-XL



1 lb.

Contact us at:



Part Number

CUP HOLDERS

Dual External Cup Holder C-TM Series

- · Mounts externally to the top of your Trak Mount or any flat surface
- 3.875" Long x 7.938" Wide x 3" Deep
- · Accepts cups up to 3.375" dia.
- · Replaces multiple cup holders, including the C-CHNY-TM



2 lbs.


1 lb.


Weight

LIGHTER OUTLETS

12V DC "lighter plug" outlets with attached cap

- 2" of equipment mounting area in console
- 12" wire harness & 15 amp fuse included
- · Available with one, two, three, or four outlets





C-LP2-PS2


Two 12V DC "lighter plug" outlets with attached caps, and two vertical switch cut outs

- See our switches on page C42
- 2" of equipment mounting area in console
- · 12" wire harness & 15 amp fuse included
- · Switches not included

1 lb.

C-MCB-CV

MIC CLIPS



Dual Mic Clip

- 1997-2008 Crown Victoria's only
- Mounts behind dash trim
- · Order mic clips separately



1 lb.

C-MC




Mic Clip

- · Accepts all standard microphones
- · Console mount bracket (C-MCB) not included



1 lb.

C-MCB



Mic Clip Bracket


- · Mounts to side of console
- · Mic clip (C-MC) not included



1 lb.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com



Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

Part Number Weight

C-ML-MCB

MAP LIGHTS



- · External console or laptop mounts
- Slotted 14 gauge steel "L" bracket
- 12" gooseneck map light with dimmer switch
- · Clear and red lenses



1 lb.

C-ML-LP2



- · Internal console mount
- 2" Plate
- 12" gooseneck map light with dimmer switch
- (2) 12 V lighter plug outlets with cap
- 12" wire harness & 15 amp fuse included
- · Clear and red lenses



1 lb.

C-ML-PS2



- · Internal console mount
- 2" Plate
- 12" gooseneck map light with dimmer switch
- (2) Cutouts for switches (to be ordered separately)
- 12" wire harness & 15 amp fuse included
- · Clear and red lenses



1 lb.

C-ML-MLB




- 12" gooseneck map light with dimmer switch
- Mounts to side of laptop mounts (3090 & 3490)
- · Clear and red lenses included



1 lb.

C-3083-1




9" Bracket Slide Rail

- Allows computer mounts to be mounted over top of all 9" consoles
- See pages C12-13 for 9" consoles (C-Series)



Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com



Contact us at:

Fax: 215.957.0729

Web: www.havis.com

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com



									ву: наvis-Sn	
	Part Number C-PS-7-L	r								Weight
	Switch bracket • For 7 switches & 7 labels • Mounts internally into enclosed consoles • Order switches (C-SW-1 thru C-SW-4) & labels (C-LABEL-S) separately • 3" plate								1 lb.	
					SWITCH	HES				
	C-SW-1	rong On/O	C-SW-2		SW-3	C-SW-4	Sv •	Black Paddle Type Rocker Switches Feature: Red pilot light 20 amps, 18 volts		
						(no red pilot l	ight)			
C-LABEL-B LABELS										
				itch label (no i e measures .52	• ,					1 lb.
	C-LABEL-N	S								
White switch label with custom black imprint (specify desired imprint- maximum of 30 characters and/or spaces) • Surface measures .52" x .88"							1	1 lb.		
	C-LABEL-S									
 Standard white switch label with black imprint Many available (see below for available labels) Labels in grey boxes are standard in C-SP-3B & C-SB (Labels positioned left to right as follows: 360°, WIG-WAG, STROBE, TAKEDOWN, REAR FLASH, LEFT ALLEY, RIGHT ALLEY) Surface measures .52" x .88" 						1 lb.				
	A/C HEAT	CAB STROBE	EMERG.	GEN. START STOP	LEFT	PIERCER	REAR LIGHTS	SIDE LIGHTS	TAKEDOWN	360°
	AIR	CARGO LIGHTS	EXHAUST FAN	GRILLE & DECK LTS.	LEFT ALLEY	PURSUIT	REAR STROBES	SIDE STROBE	TAKEDOWN FLASHER	360° STROBE
	ALLEY	01145055	EL AGUEDO	GRILLE	LEFT	DTO	REVOLVING	OIDEN	TAIL LIGHT	FRONT

A/C HEAT	CAB STROBE	EMERG.	GEN. START STOP	LEFT	PIERCER	REAR LIGHTS	SIDE LIGHTS	TAKEDOWN	360°
AIR	CARGO LIGHTS	EXHAUST FAN	GRILLE & DECK LTS.	LEFT ALLEY	PURSUIT	REAR STROBES	SIDE STROBE	TAKEDOWN FLASHER	360° STROBE
ALLEY LT. RT.	CHARGER	FLASHERS	GRILLE LIGHTS	LEFT ARROW	PTO	REVOLVING LIGHTS	SIREN	TAIL LIGHT FLASHER	FRONT
ALLEY LIGHTS	СОМРТ.	FOG LIGHTS	GUN LOCK	LEFT SCENE	RADIO	RIGHT	SIREN BRAKE	THROTTLE	ОРТІСОМ
AUX.	COMPT. LIGHTS	FRONT FLASH	HEADLIGHT	LEFT FLOOD	REAR	RIGHT ALLEY	SIREN HORN	TRUNK	
AUX. 1	CONSOLE LIGHTS	FRONT FLASHER	HEADLIGHT FLASHER	LIGHT	REAR A/C HEAT	RIGHT ARROW	SPARE	TRUNK RELEASE	
AUX. 2	CORNER STROBE	FRONT FLOOD	HEADLIGHT STROBES	LIGHTBAR	REAR DOME	RIGHT FLOOD	SPEAKER	WARNING LIGHTS	
BACK-UP ALARM	CRANE	FRONT LIGHTS	HEATER	MAP LIGHT	REAR FLASH	RIGHT SCENE	SPOTLIGHT	WIG-WAG	
BACK-UP CUT-OFF	DECK LIGHTS	FRONT LT. CUT OFF	HORN SIREN	MASTER	REAR FLASHER	ROTATOR	STINGER	WORK LIGHTS	
BATTERY	DRIVING LIGHT	FRONT REAR	INTERSECT	MODULE DISC	REAR FLOOD	ROTATING LIGHTS	STROBE	YELP/WAIL	
BODY UP	DOME LIGHT	FRONT STROBES	INVERTER	POWER VENT	REAR HEAT	SCENE LIGHTS	STROBE HIGH/LOW	YELP	

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

Part Number Weight C-AB-LP3 **ACCESSORY BOX OPTIONS** Accessory box with (3) lighter plug outlets • 6" wide x 2-5/8" deep x 5-7/16" high · Lighter outlets include 15 amp in-line fuse and wire harness 4 lbs. Manufactured from 16 gauge formed steel · Designed to mount on console or any flat surface C-AB-SW4 Accessory box with (4) switches • 6" wide x 2-5/8" deep x 5-7/16" high • On/Off black paddle type rocker switches with red pilot light 4 lbs. Manufactured from 16 gauge formed steel · Designed to mount on console or any flat surface C-AB-LP3-SW4 Accessory box with (3) lighter plug outlets and (4) switches • 6" wide x 2-5/8" deep x 5-7/16" high · Lighter outlets include 15 amp in-line fuse and wire harness

ACCESSORY POCKETS

· On/Off black paddle type rocker switches with red pilot light

Manufactured from 16 gauge formed steelDesigned to mount on console or any flat surface

- Internal mounting five sides allow mounting in any position
- · Black powder coated steel finish

By: Havis-Shields

• Removable Carpeted Liner (in base only)

4 lbs.

· Provides storage space for your equipment

Fax: 215.957.0729

Web: www.havis.com

	Part Number	Description			
	Console Lo-Profile Internal Mount Accessory Pocket	Fits all consoles, ideal for low profile console series or 6" high x 8 5/8" wide x 2 1/2" deep			
	C-AP-0325 (shown)	Accessory Pocket 3" high, 2.5" deep internal mount			
	C-AP-0625	Accessory Pocket 6" high, 2.5" deep internal mount			
٨	Console Internal Mount Accessory Pocket	 Fits all consoles 6", 9", or 12" high x 8-5/8" wide x 4-1/2" 6", 9", or 13" high x 8-5/8" wide x 9-1/2" deep for truck mounted 10" high consoles 			
	C-AP	Accessory Pocket 3" high, 5" deep internal mount (front or rear mounting)			
	C-AP-0645 (shown)	Accessory Pocket 6" high, 4.5" deep internal mount			
	C-AP-0945	Accessory Pocket 9" high, 4.5" deep internal mount			
	C-AP-1245	Accessory Pocket 12" high, 4.5" deep internal mount			
	C-AP-0695	Accessory Pocket 6" high, 9.5" deep internal mount			
	C-AP-0995	Accessory Pocket 9" high, 9.5" deep internal mount			
	C-AP-1395	Accessory Pocket 13" high, 9.5" deep internal mount			
	Console Internal Mount Accessory Pocket with Lid and Lock	 Includes lid with a push button slam locking latch (not available without the lock) Fits all consoles 6", 9", or 12" high x 8-5/8" wide x 4-1/2" deep 6", 9" or 13" high x 8-5/8" wide x 9-1/2" deep for truck mounted 10" high consoles (C-2410 & C-3010 			
	C-AP-0645-L (shown)	Accessory Pocket 6" high, 4.5" deep internal mount with lid and lock			
	C-AP-0945-L	Accessory Pocket 9" high, 4.5" deep internal mount with lid and lock			
	C-AP-1245-L	Accessory Pocket 12" high, 4.5" deep internal mount with lid and lock			
	C-AP-0695-L	Accessory Pocket 6" high, 9.5" deep internal mount with lid and lock			
	C-AP-0995-L	Accessory Pocket 9" high, 9.5" deep internal mount with lid and lock			
	C-AP-1395-L	Accessory Pocket 13" high, 9.5" deep internal mount with lid and lock			

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com



Part Number

KR-CCL-1, -2, -3

COLD CATHODE COMPARTMENT LIGHT

Cold Cathode Compartment Surface Mount Light with 12" Lead and Switch (KR-CCL-1) Cold Cathode Compartment Surface Mount Light with Dual Wire Leads and Connectors (KR-CCL-2) Cold Cathode Compartment Surface Mount Light with no Switch (KR-CCL-3)

- · Cold Cathode light perfect for roll-up door, interior cab and storage compartment applications
- Draws only 0.6A at room temperature, 1.6A max
- 18,000 hour lamp life
- · Easy to retrofit
- · Includes clear lens & self-tapping mounting screws
- 14" L x 1" W x 1.94" H








KR-DL

INTERIOR LIGHTING



- Vehicle cab compact size dome light
- Easy to retrofit
- Includes two clear & two red lenses
- Uses two individually switched 7 Watt, 12 VDC Xelogen® replacement
- 5.75" L x 2.25" W x 1.38" H
- Also available in packages of twelve (12). Order part number: KR-DL-12



TIR3 MOUNTING BRACKETS

Mounting Brackets for Whelen TIR3 Series LED

- · Made from .125" aluminum with black powder coat finish which is durable and rust-free
- · Simplifies front and rear deck, grille and license plate mounting
- Stainless mounting bracket hardware included
 - Whelen TIR3 LED sold separately: RS: Horizontal optics, RV: Vertical optics
 - · Hardware for mounting lights supplied with light purchase



Part Number	Description	Bracket Height
C-TIR3-1	Mounting Bracket (1 light max)	2.5"
C-TIR3-2	Mounting Bracket (2 lights max)	3.75"
C-TIR3-4	Mounting Bracket (4 lights max)	5.5"

	Part Number	Description	Bracket Height
A DO	C-TIR3-CV	Crown Vic Trunk Mounting Bracket (2 lights max)	1.4"
	C-TIR3-UNV	Universal Mounting Bracket - four adjust- able mounting positions (2 lights max)	1.4"

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com Web: www.havis.com

Fax: 215.957.0729

C37

TRAK-MOUNT BASES

A perfect solution for mounting consoles and accessories

- Constructed of anodized extruded aircraft aluminum with a black satin finish for a sturdy and economical mounting solution
- Includes heavy duty steel vehicle mounting brackets and hardware
- Available in standard sizes of 12", 15", 18", 24" and 32" in length
- Backed by a lifetime warranty
- Vehicle-specific Trak-Mount packages available




 Computer Mounting Platforms include fully adjustable mounting brackets making monitors easily viewable for driver or passenger via tilt swivel features

Accessories like cup holders, arm rests, and switch boxes easily mount to Trak-Mount

L brackets allow for easy mounting and adjusting of equipment

Recessed "Slide Tracks" located on the top, bottom, and sides of the base for easy repositioning and adjustability

Hump Bracket for extra support included with all TM-Series bases






Rear Trak-Mount Extension


Forward Trak-Mount Extension

32" Trak-Mount including front and rear mounting brackets. A perfect solution for mounting your Angled Series console and all your accessories. Note: When mounting a C-Series console to a Trak-Mount kit a C-M-5 kit is required.

Front Hump Bracket



Rear Hump Bracket



Part Number		Maximum Equipment Mounting Area	Weight
C-TM-CV			
	 32" Trak Mount Base assembly for 1995-2008 Ford Crown Vic (Bucket seat models) Includes hump-mount Brackets (C-B33 front and C-B16 rear) Runs full length of transmission tunnel. Requires no drilling and mounts to existing front & rear inboard seat mounting bolts. 	32"	14 lbs
C-TM-DUR			
	Trak Mount assembly for 2004-2008 Dodge Durango Includes hump-mount brackets, cover panels, and wiring cover panel Runs full length of transmission tunnel Requires removal of OEM console and mounts to existing holes in floor pan where OEM console was located Mount conforms to manufacturer's mounting standards and will not interfere with airbag sensors in front seat(s) Wire access notch in bottom of panel	32"	14 lbs.
C-TM-EXPL			
	 28" Trak Mount base assembly with front and rear mounting brackets for 2004-2005 Ford Explorer Heavy-duty trak mount platform Fits 2002-2005 Explorer Includes hump-mount brackets C-B37 front and C-B38 rear Requires removal of OEM console and mounts to existing holes in floor pan 	28"	14 lbs.
C-TM-EXC			
	 32" Trak Mount base assembly with front and rear mounting brackets for 1999-2006 Ford Excursion and 1999-2007 Ford F-250, 350, 450, and 550 Pickups Fits 1999-2006 Ford Excursion and 1999-2007 Ford F-250, 350, 450, and 550 Pickups Includes hump-mount brackets C-B23 front and C-B34 rear Includes 32" Trak extrusion and mount hardware Attaches to OEM seat bolts 	32"	6 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

Part Number		Maximum Equipment Mounting Area	Weight
C-TM-EXPD			
	 32" Trak Mount base assembly with front and rear mounting brackets for 2003-2006 Ford Expedition Heavy duty trak mount platform Fits 2003-2006 Ford Expedition Includes hump-mount brackets C-B35 front and C-B36 rear Requires removal of OEM console and mounts to existing seat bolts 	32"	14 lbs.
C-TM-GMC			
	 32" Trak Mount base assembly for 2000-2008 Tahoe, Suburban, Yukon, Yukon XL, Silverado, and Sierra pick-ups Includes hump-mount brackets C-B24 Front & C-B39 Rear Runs full length of transmission tunnel Requires no drilling and mounts to existing front and rear inboard seat mounting bolts 	32"	14 lbs.
C-TM-IMP			
	 32" Trak Mount for 2000-2005 Chevy Impala (Bucket seat models) Includes hump-mount brackets C-B17 front and C-B27 rear Runs full length of transmission tunnel. Requires holes to be drilled for the front bracket only. 	32"	14 lbs.
C-TM-IMP-1			
	 30" Trak-Mount for 2006-2008 Chevy Impala Fits 2006-2007 Chevy Impala with bucket seats Includes hump-mount brackets C-B43 front and C-B42 rear Runs full length of transmission tunnel Requires holes to be drilled for the front bracket only 30" long two-tier Trak-Mount (18" L front x 12" L rear x 2" H rise) Accepts most Consolidator Console applications (some limitations) 	30"	6 lbs.
C-TM-F150			
	 32" Trak-Mount for 2004-2007 Ford F-150 Pickup and 2007 Expedition Fits 2004-2007 Ford F-150 Pick-up (Column shift only) and 2007 Ford Expedition (SSV with column shift only) Includes (2) C-B10 hump-mount brackets front & rear Utilizes OEM floor mount hardware when OEM console is removed. (Ford F-150 Only) Also used for universal flat floor mounting-vehicles without front & rear hump brackets Universal mounting requires holes to be drilled in floor of vehicle 	32"	7 lbs.

Contact us at:


Ph: 800.524.9900 or 215.957.0720 C40 E-mail: sales@havis.com

TRAK-MOUNT EXTRUSIONS ONLY



C-TM-12E

- · Includes 12" long extrusion only
- · Order vehicle mounting bracket separately
- 3 lbs.




C-TM-24E

- · Includes 24" long extrusion only
- Order vehicle mounting bracket separately
- 4 lhe




C-TM-15E

- · Includes 15" long extrusion only
- · Order vehicle mounting bracket separately
- 3 lbs.



C-TM-32E

- · Includes 32" long extrusion only
- · Order vehicle mounting bracket separately
- 5 lbs.



C-TM-18E

- Includes 18" long extrusion only
- · Order vehicle mounting bracket separately
- 3 lbs

TRAK-MOUNTS WITH VEHICLE MOUNTING BRACKETS



C-TM-12

- 12" long
- 4 lbs.



C-TM-15

- 15" long
- 4 lbs.



C-TM-18

- 18" long
- 4 lbs.




C-TM-24

- 24" long
- 4 lbs.

- Includes 12", 15", 18", or 24" long extruded Trak-Mount Base
- Includes (1) Vehicle Mounting Bracket (As specified in Vehicle Application Guide)
- Recommend rear hump with 24" or longer trak

EQUIPMENT MOUNTING BRACKETS








- · Pair of 5", 7" or 9" L-shaped brackets used to mount your equipment heads to your Trak-Mount base
- Please make sure that your equipment heads can be mounted in the desired position with the length of the bracket

2 lbs.

C-TCB-14

TELESCOPING COMPUTER BASE



- Universal telescoping computer base with a 60° angle to provide a comfortable mounting position for a mobile computer. This base mounts directly to the Trak-Mount base
- 7" closed, 9.5" fully extended



8 lbs.


Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

By: Havis-Shields

Part Number

C-CB-1 **COMBINATION BOXES**



Combination Box w/ Hinged Armrest and (3) Lighter Plug Outlets


- 6" wide x 11.25" long (including lighter outlet box) x 9" deep, 2" thick molded rubber armrest pad for comfort
- The new design includes a modular (3) lighter outlet box with 15 amp inline fuse and wire harness included
- 16 gauge formed steel housing with extruded aluminum top frame
- Designed to mount behind AS console to Trak-Mount base or to any flat surface
- No vehicle mounting kit required
- Recommended for Trak-Mount mounting
- Not recommended for weapon storage



7 lbs.

Weight

C-CB-1-3610-ARM




Combination Box with Removable Hinged Arm Rest, Printer Mount, and (3) Three Lighter Plug Outlets

- 6" wide x 9" deep x 13.5" high
- Lighter outlets include 15 amp in-line fuse and wire harness
- 16 gauge formed steel housing with extruded aluminum top frame
- Designed to mount behind AS console to Trak-Mount base or any flat
- No vehicle mounting kit required
- · Recommended for Trak-Mount mounting



7 lbs.

C-CB-2




Combination Box/Removable Hinged Armrest

- 6" wide, 9" long x 9" high, 2" thick molded rubber armrest pad for comfort
- No lighter outlets
- 16 gauge formed steel housing with extruded aluminum top frame
- Designed to mount behind AS console to Trak-Mount base or to any flat surface
- · No vehicle mounting kit required
- Recommended for Trak-Mount mounting
- Not recommended for weapon storage



7 lbs.

C-CB-690



Optional C-SP-3" Switch plate shown

6" Console Combination Box Complete w/EB & FP

- Designed to hold control heads that are too deep for AS series console
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- 16 gauge formed steel housing with extruded aluminum top frame
- 9" long, 9" high, 6" wide
- Designed to mount behind AS console to Trak-Mount base or to any flat surface
- No vehicle mounting kit required
- See pgs C29-37 for optional console accessories



6 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

6 lbs.

4 lbs.


4 lbs.

4 lbs.

C43

Part Number Weight

C-CB-690-LP3



Optional C-SP-3" Switch plate shown

6" Console Combination Box & (3) 12 volt Lighter Outlets Complete w/EB & FP

- Designed to hold control heads that are too deep for AS series console
- Includes up to 6" of C-EB equipment brackets and C-FP filler plates
- The new design includes a modular (3) lighter outlet box with 15 amp inline fuse and wire harness included
- 16 gauge formed steel housing with extruded aluminum top frame
- 11.25" long, 9" high, 6" wide
- Designed to mount behind AS console to Trak-Mount base or to any flat surface
- · No vehicle mounting kit required
- · See pgs C29-37 for optional console accessories

C-CB-LOCK



Cam style lock and key to secure equipment in combination boxes

- Must be ordered separately
- · Not recommended for weapon storage

C-AB-LP3

ACCESSORY BOX OPTIONS



Accessory box with (3) lighter plug outlets

- 6" wide x 2-5/8" deep x 5-7/16" high
- · Lighter outlets include 15 amp in-line fuse and wire harness
- Manufactured from 16 gauge formed steel
- · Designed to mount on console or any flat surface

C-AB-SW4



Accessory box with (4) switches

- 6" wide x 2-5/8" deep x 5-7/16" high
- On/Off black paddle type rocker switches with red pilot light
- Manufactured from 16 gauge formed steel
- · Designed to mount on console or any flat surface

C-AB-LP3-SW4



Accessory box with (3) lighter plug outlets and (4) switches

- 6" wide x 2-5/8" deep x 5-7/16" high
- · Lighter outlets include 15 amp in-line fuse and wire harness
- On/Off black paddle type rocker switches with red pilot light
- Manufactured from 16 gauge formed steel
- · Designed to mount on console or any flat surface

C-ARM-10-TM


ARM RESTS



Armrest for Trak Mount with Hinged Pad

- Ideal for '06-07 Impala & '06 Charger applications
- · Molded armrest that mounts to your Trak-mount base
- Arm rest gives you the convenience of a hinged top to provide quick access to vital equipment
- Pad size: 5.25" wide x 10" long
- Overall height: 11.75"

C-ARM-3-TM



- Molded arm rest that mounts to a Trak-Mount base
- Arm rest gives the convenience of a hinged top to provide quick access to vital equipment
- Pad size 5.25" wide x 10" long
- · Overall height: 13.5"



8 lbs.


Contact us at:

Ph: 800.524.9900 or 215.957.0720 Fax: 215.957.0729
E-mail: sales@havis.com Web: www.havis.com



TRAK-MOUNT MOUNTING BASE ACCESSORIES

Part Number
C-CUP2-E-TM CUP HOLDERS



Dual External Cup Holder C-TM Series

- · Mounts externally to the top of your Trak Mount or any flat surface
- 3.875" Long x 7.938" Wide x 3" Deep
- · Accepts cups up to 3.375" dia.
- Replaces multiple cup holders, including the C-CHNY-TM




2 lbs.

Weight

C-3078

ADJUSTABLE TRAK SLIDE RAIL MOUNTING BRACKET



- · Attaches to side slots of Trak Extrusion
- Can be used with C-3068 riser brackets for elevated platform (see below)

2 lbs.

RISER BRACKETS







2 lbs.

· Pair of 2", 3", or 4" riser brackets used to position Trak-Mount Series computer mounting brackets to desired height

C-3075-1

TM-SERIES COMPUTER MOUNTING PLATE BRACKETS



- 85° swivel & 85° tilt
- · Low profile
- Fixed 2.5" height



2 lbs.

C-3075-2



- 85° swivel & 85° tilt with locking knob
- · High profile
- Adjustable 4" 6.5" height



2 lbs.


Contact us at:

Ph: 800.524.9900 or 215.957.0720 Fax: 215.957.0729
E-mail: sales@havis.com Web: www.havis.com

Part Number Weight

C-3089-2

TM-SERIES LAPTOP MOUNTING PLATFORM




Includes a C-3090 computer mounting plate and a C-3085-2 mounting bracket used to mount to Trak-Mount base (TM-Series)

- Mounting bracket for laptop computers
- 85° swivel only (no tilt)
- · High profile
- Fixed 2.25" height
- Width: 11.5" Min., 16.75" Recommended, 17.5" Absolute Max



10 lbs.

C-3090-1




Includes a C-3090 computer mounting plate and a C-3075-1 mounting bracket used to mount to Trak-Mount base (TM-Series)

- Mounting bracket for laptop computers
- 85° swivel & 85° tilt
- Low profile
- Fixed 2.5" height
- Width: 11.5" Min., 16.75" Recommended, 17.5" Absolute Max



10 lbs.

C-3090-2



Includes a C-3090 computer mounting plate and a C-3075-2 mounting bracket used to mount to Trak-Mount base (TM-Series)


- Mounting bracket for laptop computers
- 85° swivel & 85° tilt with locking knob
- · High profile
- Adjustable 4" 6.5" height
- Width: 11.5" Min., 16.75" Recommended, 17.5" Absolute Max



10 lbs.

C-3090

UNIVERSAL COMPUTER MOUNTING PLATFORMS




Laptop mounting plate features adjustable side support tabs allowing a maximum 2.25" of available height to mount laptop to the plate.

- · Part number includes laptop mounting plate only
- Order tilt/swivel (C-3075 or C-3085) assembly and mounting base separately
- New 0.04" thick stainless side tabs makes closing the lid easier
- Width: 11.5" Min., 16.75" Recommended, 17.5" Absolute Max



7 lbs.

C-3090-N



Narrow laptop mounting plate features adjustable side support tabs that allow a maximum 2.25" of available height to mount laptop to the plate.

9.25" Minimum/13" Maximum laptop width

- Part number includes laptop mounting plate only
- · Order tilt/swivel assembly and base separately
- New 0.04" thick stainless side tabs makes closing the lid easier



7 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com



VEHICLE MOUNTING BRACKET KITS


VEHICLE SPECIFIC MOUNTING BRACKET KITS

- Include Vehicle Specific Hump Mount Brackets and Universal Bail Mount Brackets.
- Provide quick and easy installation of a wide range of consoles & accessories

Part Number	•	In most cases require no drill	ing and attach to existir	ng seat mounting holes	•		
C-M-1			Vehicle Make	Model	Year	Description	Weight
	Kit Includes:	<u> </u>	General Motors	Caprice (bucket seats)	1992-1997	C-Series Consoles TM-Series Consoles	6 lbs.
(1) C-B7	(1) C-B1	(1) C-B3	Ford	Crown Victoria (bucket seats)	1995-2008	C-Series Consoles TM-Series Consoles	6 lbs.
C-M-2							
(1) C-B9	Kit Includes:	(1) C-B3	General Motors	Caprice (bucket seats)	1992-1998	C-Series Consoles TM-Series Consoles	5 lbs.
C-M-3							
(1) C-B8	Kit Includes:	(1) C-B3	General Motors	Lumina (bucket seats)	1997-2000	C-Series Consoles TM-Series Consoles	3 lbs.
C-M-5							
	Kit Includes:						
	(2) C-B1		Refer to Ap	Universal mo plication Guide (Paç		complete fit list.	3 lbs.
C-M-6							
	Kit Includes:		Refer to Ap	Universal mo plication Guide (Paç	-	complete fit list.	3 lbs.
C-M-7							
\$	Kit Includes:		Refer to Ap	Universal mo	-	complete fit list.	4 lbs.
	(2) C-B11						
C-M-8							
	Kit Includes:	2-B10	Refer to Ap	Universal mo plication Guide (Pag		complete fit list.	6 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com



• Include Vehicle Specific Hump Mount Brackets and Universal Bail Mount Brackets.

•	ck and easy installation of a wide range of	of consoles & accessorie			
T dit Hullibei	es require no drilling and attach to existir				
C-M-9	Vehicle Make	Model	Year	Description	Weight
(2) C-B10	Refer to Ap	Universal mo	_	complete fit list.	4 lbs.
C-M-10					
(1) C-B1 (1) C-B3	Refer to Ap	Universal mo	_	complete fit list.	2 lbs.
C-M-13					
(1) C-B13 (1) C-B1 (1)	General Motors C-B2	Tahoe, Suburban, Yukon, and pickup (Bucket Seats)	1995-1999	C-Series Consoles TM-Series Consoles	6 lbs.
C-M-15					
Kit Includes:	Ford C-B2	E-Series Van	1999-2008	TM-Series Consoles	7 lbs.
C-M-16					
Kit Includes:	DaimlerChrysler C-B3	Ram Pick-Up (bucket seats)	1997-2002	C-Series Consoles TM-Series Consoles	6 lbs.
C-M-17					
(1) C-B17 (1) C-B6 (1)	General Motors	Impala (bucket seats)	2000-2005	For regular width C-Series Consoles TM-Series Consoles	6 lbs.
C-M-17-IMP					
(1) C-B17 (1) C-B1-IMP (1)	General Motors C-B3	Impala (bucket seats)	2000-2008	For "IMP" width C-IMP Series Consoles TM-IMP Series Consoles	6 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com



VEHICLE MOUNTING BRACKET KITS

VEHICLE SPECIFIC MOUNTING BRACKET KITS

- Include Vehicle Specific Hump Mount Brackets and Universal Bail Mount Brackets.
- Provide quick and easy installation of a wide range of consoles & accessories

 Provide quick and easy installation of a wide range of consoles & accessories In most cases require no drilling and attach to existing seat mounting holes. 										
C-M-21			Vehicle Make	Model	Year	Description	Weight			
(1) C-B1	Kit Includes:	(1 pr.) C-3061-5	DaimlerChrysler	Dakota Durango (see application guide pp 7-10 for exact fit)	1997-2007 1998-2003	C-Series Consoles TM-Series Consoles	7 lbs.			
(1) C-B20	Kit Includes:	(1) C-B3	Ford	Taurus	1996-1999	C-Series Consoles TM-Series Consoles	6 lbs.			
C-M-24										
(1) C-B23	Kit Includes:	(1) C-B6	Ford	Excursion F-250, F-350, F-450, & F-550 Pick-Up	1999-2006 1999-2007	C-Series Consoles TM-Series Consoles	7 lbs.			
C-M-25										
(1) C-B24	Kit Includes:	2) C-B1	General Motors	Tahoe, Suburban, Yukon, and Pickup (bucket seats)	2000-2008	C-Series Consoles TM-Series Consoles	5 lbs.			
C-M-26	,									
C-M-27	Kit Includes: (2) C-B6		Uı	niversal 9-1/8" x 6" pa	air Bail-Mount	ing kit	3 lbs.			
(1) C-B25	Kit Includes:	(1) C-B3	Ford	Taurus	2000-2006	C-Series Consoles TM-Series Consoles	6 lbs.			
C-M-28										
(1) C-B26	Kit Includes:	(1) C-B2	General Motors	G-Series Van	2000-2008	TM-Series Consoles	6 lbs.			
C-M-31	(-, -, -, -, -, -, -, -, -, -, -, -, -, -	(-, - ==								
(1) C-B1	Kit Includes:	(1) C-B35	Ford	Expedition	2003-2006	C-Series Consoles C-LP Series Consoles	7 lbs.			
C-M-32										
(1) C-B48	Kit Includes:	(1) C-B22	Ford	Expedition	2007-2008	C-Series Consoles C-LP Series Consoles	7 lbs.			

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com




C-M-30

Additional Vehicle Mounting Kits



- For 1999-2006 Chevy and Ford Vans
- Easy detachable floor mount kit for C-Series consoles (recommended for 12" long or shorter consoles)
- · Universal floor mount system that easily removes for engine cover access
- Ideal for vans or any flat floor application

C-B44




Bracket Assembly for 2006-2008 Charger & Magnum OEM Trak Mount

- Mounts below 2006 Charger & Magnum OEM "Trak Mount" style floor plate
- Replaces Original OEM floor mount brackets
- · New #11 Gauge steel brackets are same size and shape as original floor mount brackets with heavier material
- · No hardware required to mount our brackets. (OEM hardware used)

Individual Vehicle Mounting Brackets

Bail Mount Brackets



Rear Adjustable "L" Brackets

C-B22


Miscellaneous Mounting Brackets




C-B3










DaimlerChrysler Hump Mount Brackets





1998-2003 Durango & 1997-2007 Dakota 4 lbs.

C-B14



Ram Pick-Up 1997-2002 4 lbs.

C-B47




Front (1 pc) base mount bracket assembly for 2005-2008 Dodge Ram 2500, 3500, & 4500 Pick-Up


- · Mounts to floor
- Designed to support either the C-TCB-8 or the C-PED Silver Billet Telescoping Computer Mounts

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

By: Havis-Shields





Extension Bracket

- Allows C-Series Console to attach to rear hump brackets: C-B16, C-B27, C-B31 & L Mounting brackets (sold separately)
- · Provides front/rear adjustment
- 1 lb.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 Fax: 215.957.0729
E-mail: sales@havis.com Web: www.havis.com

TELESCOPING COMPUTER BASES

The fastest and easiest mounting system to install

- Over 30 vehicle-specific bases
- Ideal solution for limited space applications
- Height adjustable
- Dual articulating discs allow for lateral adjustment
- Configurable for many universal laptop, keyboard and docking station mounts
- Installs in most vehicles without drilling or cutting





C-TCB Series (Light to Medium Duty)

C-PED



- **Computer Mounting Platforms** have fully adjustable mounting brackets making monitors easily viewable for driver or passenger via tilt/swivel features
- Universal Computer Mounting Bracket for laptops and docking stations. Swivels 85° (C-3090 shown)
- **Heavy-Duty Design** made of welded tubular steel. Mounts independently of a console. Backed by a lifetime warranty
- Locking Knob to set telescoping height
- **Articulating Swivel Arms** make it easy to position a computer where you want it. Made from 1/4" steel to provide stability
- **No Holes Drilled** uses existing seat bolts in most vehicles for easy installation

				TCB Refer	ence Index				
Vehicle Make	Model	Years	TCB Model	Page	Vehicle Make	Model	Years	TCB Model	Page
Chevrolet/GMC	CK- Pickup	1995-1999	C-TCB-3	C52	Ford	Bronco	1992-1996	C-TCB-12	C54
	Colorado/Canyon	2004-2006	C-TCB-34	C56		Crown Victoria	1995-2008	C-TCB-1	C52
	GMC S-15 Jimmy	1995-2003	C-TCB-4	C52		Excursion	1999-2006	C-TCB-24	C55
	GMC S-15 Sonoma	1995-2003	C-TCB-4	C52		Expedition	1997-2006	C-TCB-5	C52
	Impala (no holes drilled)	2000-2005	C-TCB-30	C56		Explorer	1995-2001	C-TCB-6	C53
	Impala (no holes drilled)	2006-2007	C-TCB-36	C36		Explorer	2002-2007	C-TCB-26	C56
	Impala (Side Mount)	All Years	C-TCB-7-IMP	C53		F-150 Heritage	2004	C-TCB-17	C54
	Impala	2000-2008	C-TCB-22	C55		F-150 Pick Up	1997-2003	C-TCB-17	C54
	Malibu	2004-2006	C-TCB-33	C57		F-150 Pick Up	2004-2006	C-TCB-31	C56
	S-10 Blazer	1995-2004	C-TCB-4	C52		F-250 Pick Up	1999-2006	C-TCB-24	C55
	S-10 Pick Up	1995-2003	C-TCB-4	C52		F-350 Pick Up	1999-2006	C-TCB-24	C55
	Sierra/Silverado Pick-Up	2000-2007	C-TCB-23	C55		F-450 Pick Up	1999-2006	C-TCB-24	C55
	Suburban	1995-1999	C-TCB-3	C52		F-550 Pick Up	1999-2006	C-TCB-24	C55
	Suburban/Yukon XL	2001-2006	C-TCB-23	C55		Mountaineer	1995-2001	C-TCB-6	C53
	Tahoe	1995-1999	C-TCB-3	C52		Ranger	1999-2007	C-TCB-6	C53
	Tahoe/Yukon	2001-2007	C-TCB-23	C55		Taurus	1996-2006	C-TCB-10	C54
	Trailblazer/Envoy	2002-2007	C-TCB-32	C57	Jeep	Cherokee	1989-2001	C-TCB-9	C53
	Yukon	1995-1999	C-TCB-3	C52	Universal Side	Mounts	N/A	C-TCB-2	C52
Dodge	1500 Ram Pick Up	2002-2007	C-TCB-27	C56			N/A	C-TCB-7	C53
	Dakota	1997-2007	C-TCB-28	C56			N/A	C-TCB-19	C55
	Durango	1998-2003	C-TCB-21	C55	Universal Teles	scoping Base	N/A	C-TCB-14	C54
	Intrepid	1996-2004	C-TCB-11	C54	Universal Top I	Mount	N/A	C-TCB-8	C53
	Ram Pick-Up	1997-2001	C-TCB-23	C55					
					C-PED For med	dium to heavy-duty tru	cks (i.e. Fire Appara	itus & Utility Vehi	cles)

TELESCOPING COMPUTER BASES (TCB SERIES)

By: Havis-Shields								
Part Number	TELES	COPING COMPUTER B	ASES (TO	CB SERIES)				
	VEHICLE INFORMATION TCB HEIGHT DIMENSIONS							
C-TCB-1	Vehicle Make	Model	Year	Closed	Extended	Weight		
	Ford	Crown Victoria	1995-2008	10"	16"	6 lbs.		
C-TCB-2								
	Universal Side Mount	Telescoping Computer Base for Enclosed console models C-2410, C-2411, C-3010, C-3011, C-VS-3011-DUR	N/A	13"	20"	4 lbs.		
C-TCB-3								
	Chevrolet/ GMC	CK-Pickup	1995-1999	14" 19				
		Tahoe	1995-1999					
		Suburban	1995-1999 1995-1999		20"	7 lbs.		
		Takon	1000 1000					
C-TCB-4								
		GMC S-15 Jimmy	1995-2003					
		GMC S-15 Sonoma	1995-2003					
	Chevrolet/ GMC	S-10 Blazer	1995-2004	10"	16"	7 lbs.		
		S-10 Pick-Up	1995-2003					
C-TCB-5								
0-100-0								
	Ford	Expedition	1997-2006	14"	20"	9 lbs.		

Contact us at:

 Ph: 800.524.9900 or 215.957.0720
 Fax: 215.957.0729

 E-mail: sales@havis.com
 Web: www.havis.com

2	
Q)	
*	
ā	
m	п
7.2	
иe	Ľ
2	ī
20	P
1	
5	
ш	

Console Accessorie

Part Number TELESCOPING COMPUTER BASES (TCB SERIES)									
	VEHICLE INFORMATION TCB HEIGHT DIMENSIONS								
C-TCB-6	Vehicle Make	Model	Year	Closed	Extended	Weight			
	Ford	Explorer Mountaineer Ranger	1995-2001 1995-2001 1999-2007	14"	20"	9 lbs.			
C-TCB-7									
	Universal Side Mount	Telescoping Computer Base for all 6.375" high C-Series, AS-Series, and VS-Series consoles	N/A	7"	14"	5 lbs.			
C-TCB-7-IMP									
	Chevrolet Impala Side Mount	All Impala C-Series IMP Console	All	7"	14"	5 lbs.			
C-TCB-8									
	Universal Top Mount	Universal Telescoping Computer Base for vans and trucks with sturdy welded flat base for floor mounting	N/A	11"	18"	7 lbs.			
C-TCB-9									
	Jeep	Cherokee	1989-2001	14"	20"	10 lbs.			
_									

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

C54

TELESCOPING COMPUTER BASES (TCB SERIES) By: Havis-Shields

Part Number	TELES	COPING COMPUTER B	ASES (T	CB SERIES)		
	VE	EHICLE INFORMATION		TC	B HEIGHT DIN	MENSIONS
C-TCB-10	Vehicle Make	Model	Year	Closed	Extended	Weight
	Ford	Taurus	1996-2006	10"	16"	7 lbs.
C-TCB-12						
	Ford	Bronco	1992-1996	16"	21"	9 lbs.
C-TCB-14						
	Universal Telescoping Base	Telescoping Computer Base with 60° Angle for Trak-Mount	N/A	6.5"	9.5"	8 lbs.
C-TCB-17						
	Ford	F-150 Pick-Up F-150 Heritage	1997-2003 2004	15.5"	21.5"	10 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

90	
ē	
2	
E S	à
=	
9	
E	H
1	
1.5	

Console Accessori

Part Number	TELESCOPING COMPUTER BASES (TCB SERIES)					
	VE	HICLE INFORMATION		TC	B HEIGHT DIN	MENSIONS
C-TCB-19	Vehicle Make	Model	Year	Closed	Extended	Weight
	Universal Side Mount	Universal Telescoping Computer Base for side mounting	N/A	15"	22"	7 lbs.
C-TCB-21						
	Dodge	Durango	1998-2003	14"	20"	7 lbs.
C-TCB-22						
	Chevrolet	Impala Order C-B43 ('06-07 only) for "No Drill Application"	2000-2008	10"	15"	8 lbs.
C-TCB-23						
	Chevrolet/ GMC	Sierra/Silverado Pick-Up Suburban/Yukon XL Tahoe/Yukon	2000-2007 2001-2007 2001-2007	14"	20"	6 lbs.
	Dodge	Ram Pick-Up	1997-2001			
C-TCB-24						
	Ford	Excursion F-250 Pick-up F-350 Pick-up F-450 Pick-up F-550 Pick-up	1999-2006 1999-2007 1999-2007 1999-2007	16"	22"	9 lbs.
L.		· 				

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

TELESCOPING COMPUTER BASES (TCB SERIES)

By: Havis-Shields						
Part Number TELESCOPING COMPUTER BASES (TCB SERIES)						
	VEHICLE INFORMATION TCB HEIGHT DIMENSIONS					
C-TCB-26	Vehicle Make	Model	Year	Closed	Extended	Weight
	Ford	Explorer Sport Trac	2002-2007 2007	10"	16"	9 lbs.
C-TCB-27						
	Dodge	1500 Ram Pick-Up	2002-2007	16"	22"	9 lbs.
C-TCB-28						
	Dodge	Dakota	1997-2007	14"	20"	9 lbs.
C-TCB-30						
	Chevrolet	Impala No drilling required Fits existing bolt holes	2000-2005	10"	16"	10 lbs.
C-TCB-31						
	Ford	F-150 Pick-Up (Except 2004 F-150 Heritage)	2004-2007	14"	20"	6 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

	Ŋ.	
ш		
	(6)	E~
		ь.
ш		
ш	11	
		L.
	2	II o
ш		
	-1	
ш	Ö	
ш	чш	
1		
	_	
(
	۳.	
	6	
	ú	
	cessor	
	- 8	
	31	

					By: Havis-S	Shields
Part Number TELESCOPING COMPUTER BASES (TCB SERIES)						
	VEHICLE INFORMATION				B HEIGHT DIN	MENSIONS
C-TCB-32	Vehicle Make	Model	Year	Closed	Extended	Weight
	Chevrolet/ GMC	Trailblazer/Envoy	2002-2008	10"	16"	10 lbs.
C-TCB-33						
	Chevrolet	Malibu	2004-2007	10"	16"	10 lbs.
C-TCB-34						
	Chevrolet/ GMC	Colorado/Canyon	2004-2008	10"	16"	9 lbs.
C-TCB-36						
	Chevrolet	Impala No drilling required Fits existing bolt holes Not for use with hump brackets	2006-2008	9"	15"	10 lbs.
		Contact u				



HEAVY DUTY TELESCOPING COMPUTER MOUNTS

Part Number

HEAVY DUTY TELESCOPING COMPUTER MOUNTS



The C-PED Series Silver Billet Telescoping Computer Pedestal for **Medium to Heavy Duty Trucks**

- Super bright machined aluminum finish pedestal, bushing and side mounts for smooth, stable computer mounting
- Ideal for custom fire trucks, utility vehicles, ambulances and other heavy and medium duty vehicles
- Custom lengths available
- · Ratcheting cam lock standard

Weight

8 lbs


C-PED1612-W2



Silver Billet Telescoping Computer Pedestal

- 16" high in closed position, 26" high when fully extended
- 12" platform
- 2" offset
- 2.312" square mounting hole pattern
- Use with laptop mounts (C-3090 series), monitor mounts (C-3522), keyboard mounts (C-3329), or tilt swivels (C-3075 series)- optional, order separately


C-PED1612-W4



Silver Billet Telescoping Computer Pedestal

- 16" high in closed position, 26" high when fully extended
- 12" platform
- 4" offset
- 2.312" square mounting hole pattern
- · Use with laptop mounts (C-3090 series), monitor mounts (C-3522), keyboard mounts (C-3329), or tilt swivels (C-3075 series)- optional, order separately

C-PED-PLT



Optional Support Plate for Silver Billet Telescoping Computer **Pedestal Mount**

• 5.5" square base plate for Trak-Mount application




1 lb

8 lbs


Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

1 lb.



C-TCB-MAK



Telescoping Computer Base Monitor Application Kit

· Includes mounting shelf & hardware

- Shown on TCB straight inner pole
- Allows C-3522 Monitor and C-3329 Keyboard Mounts to attach to one TCB
- Order tilt/swivel assembly separately
- · Available for use on the following TCB's only:

C-TCB-1	C-TCB-10	C-TCB-30
C-TCB-2	C-TCB-11	C-TCB-32
C-TCB-4	C-TCB-19	C-TCB-34
C-TCB-7	C-TCB-22	

C-TCB-8 C-TCB-26

Contact us at:

Fax: 215.957.0729 Web: www.havis.com


E-mail: sales@havis.com

Ph: 800.524.9900 or 215.957.0720



TCB COMPUTER MOUNTING BRACKETS

Part Number C-3082-1 **UNIVERSAL COMPUTER MOUNTING BRACKETS**




- 85° swivel only (no tilt)
- Low profile
- · Fixed .75" height
- Mounts to C-KM-3, C-3333, C-TM, C-TCB Series



1 lb.

Weight

C-3082-2



- 85° swivel only (no tilt)
- · High profile
- Fixed 2.25" height
- Mounts to C-KM-3, C-3333, C-TM, C-TCB Series



1 lb.

LOW PROFILE TILT/SWIVEL ADAPTERS



Low Profile Tilt/Swivel Adapters

- Used to mount laptop mounting plate to telescoping computer base (TCB) or Stout Mount Series
- 360° swivel & 45° or 85° tilt
- Models Available:


Height and Tilt	Fixed 1.375" height 45° tilt Our lowest tilt/swivel	Fixed 2.5" height 85° tilt Low profile tilt/swivel	Adjustable 4" - 6.5" height 85° tilt with locking knob Low profile tilt/swivel	
No Handle	No Handle C-3065-3 C-3075-3		C-3075-4	
	2 lbs	2 lbs	3 lbs	
Short Locking Handle	C-3065-3S 2 lbs	C-3075-3S 3 lbs	C-3075-4S 4 lbs	
Long Locking Handle	ang Locking Handle C-3065-3SL C-3075-3SL		C-3075-4SL	
	2 lbs	3 lbs	5 lbs	

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

Part Number Weight


C-3089-3 UNIVERSAL COMPUTER MOUNTING PLATES WITH MOUNTING BRACKETS



Includes a C-3090 computer mounting plate and a C-3082-1 mounting bracket

- · Universal mounting bracket for laptop computers
- Used to mount to telescoping computer base (TCB p.C52-57) or Stout Mount swing arm (C-SA p. C2)
- 360° Swivel only (no tilt)
- Low Profile
- · Fixed 2.12" height
- Width: 11.5" Min., 16.75" Recommended, 17.5" Absolute Max

C-3089-4



Includes a C-3090 computer mounting plate and a C-3082-2 mounting bracket


- · Universal mounting bracket for laptop computers
 - Used to mount to telescoping computer base (TCB p. 52-57 or Stout Mount swing arm (C-SA p. C2)
 - 360° Swivel only (no tilt)
- · High Profile
- · Fixed 3.62" height
- Width: 11.5" Min., 16.75" Recommended, 17.5" Absolute Max



7 lbs.

7 lbs.

C-3090-3 UNIVERSAL COMPUTER MOUNTING PLATES WITH TCB MOUNTING BRACKETS




Includes a C-3090 computer mounting plate and a C-3075-3 mounting bracket

- · Universal mounting bracket for laptop computers
- Used to mount to telescoping computer base (TCB p. 52-57) or Stout Mount swing arm (C-SA p. C2)
- 360° Swivel & 85° tilt
- Low Profile
- Fixed 3.87" height
- Width: 11.5" Min., 16.75" Recommended, 17.5" Absolute Max



9 lbs.

C-3090-4



Includes a C-3090 computer mounting plate and a C-3075-4 mounting bracket

- · Universal mounting bracket for laptop computers
- Used to mount to telescoping computer base (TCB p. C52-57) or Stout Mount swing arm (C-SA p. C2)
- 360° Swivel & 85° tilt with locking knob
- · High Profile
- Adjustable 5.37" 7.87" height
- Width: 11.5" Min., 16.75" Recommended, 17.5" Absolute Max



9 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

By: Havis-Shields


UNIVERSAL COMPUTER MOUNTING PLATFORMS

Part Number

Weight

C-3090

UNIVERSAL COMPUTER MOUNTING PLATFORMS (ONLY)




Laptop mounting plate features adjustable side support tabs allowing a maximum 2.25" of available height to mount laptop to the plate.

- · Part number includes laptop mounting plate only
- Order tilt/swivel (C-3075 or C-3085) assembly and mounting base separately
- · New 0.04" thick stainless side tabs makes closing the lid easier
- Width: 11.5" Min., 16.75" Recommended, 17.5" Absolute Max



7 lbs.

C-3090-N



Narrow laptop mounting plate features adjustable side support tabs that allows a maximum 2.25" of available height to mount laptop to the plate.


- 9.25" Minimum/13" Maximum laptop width
- Part number includes laptop mounting plate only
- Order tilt/swivel assembly and base separately
- · New 0.04" thick stainless side tabs makes closing the lid easier



7 lbs.

7 lbs.


C-3090-7



Laptop Platform with Tilt/Swivel C-3065-3

- · Universal mounting bracket for laptop computers
- Includes a C-3090 computer mounting plate and a C-3065-3 mounting bracket
- Laptop mounting plate features adjustable side support tabs that give up to 2.25" of available height to mount laptop to the plate. (.80" minimum)
- Used to mount to telescoping computer bases (TCB)
- 360° swivel and 85° tilt
- · Low profile, fixed 2.5" height

C-SS, C-SS-2 LAPTOP SCREEN SUPPORTS



- · Laptop screen support
- Adjustable 4" or 7" support arm
- · Fits most laptop computers

C-SS 7" laptop screen support

C-SS-2 4" laptop screen support

1 lb.

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com





DASH MONITOR MOUNTS: Provides excellent visibility, access and safety

- Designs fit Motorola, L3, Data 911, Amrel, Dell, Panasonic, Polaris Trooper II, JLT and others
- Excellent space-saving solution for two officer patrols and FTOs
- Positions computer and monitor in safe, convenient line of sight
- · No permanent vehicle modification required
- Relocation of radio in console or removal required (see below for radio relocation solutions)

How To Order Dash Monitor Mounts:

All monitor mount part numbers begin with "S-DMM-" followed by a configuration based on your manufacturer/model/vehicle/type:

S-DMM-

Manufacturer & Model Code	Description	Vehicle Code	Description	Type Code	Description
MOT-M80- MOT-M52-	Motorola MW800 Motorola MW520	CV-	'96 - 08 Crown Vic	F	Fixed
AMR-MTX-	Amrel Matrix DP860	IMP-	'00 - 05 Impala	TS	Tilt/Swivel**
PAN-CF2-	Panasonic CF-VDL01 or CF- VDL02	IMP-1-	2006-2008 Impala	Т	Tilt
DLX-TX2-	Datalux TX200	CHGR-	2006-2008 Charger		
DATA-911- DATA-911-84	Data911 D9-02-2009 Data911 M2C-8.4TR	UNV-	Universal Flat Dash		
LIT-MVU-	Litton/L3 Mobile Vu*				
JLT-1205-	JLT 1205-PS/1205-DST				
POL-TPR-	Polaris Trooper II				
FSE-CAM-	Fleet Safety Equipment Cam				
PLA-LX1-	Planar LX1200-TR				

^{*}L3 Mobile Vu available in "F" fixed mount for '00-07 Impala or '06 Charger

Example:

C-VS-800-CV

C-WH-IMP

C-WH-CHGR

IMP -S-DMM-DATA-911 -TS

RADIO RELOCATION BRACKETS & HARNESS

C-EB40-ACV-1P 1 Piece Equipment Bracket for 1995-2008 Ford Crown Victoria HVAC control head

· Provides a mounting surface for relocating the control, relocates the HVAC control to the Consolidator consoles

C-EB40-RCV-1P 1Piece Equipment Bracket for 1995-2008 Ford Crown Victoria Radio AM/FM Radio relocation bracket for '00-05 Impala (Must be ordered with C-WH-IMP- see below) S-CM-112-IMP AM/FM Radio relocation bracket for '06-08 Impala S-CM-112-IMP-1

C-EB40-RCV-1P

Radio Relocation Equipment Bracket for 1995-2007 Crown Victoria (see page C27) 8" Under Dash Console for 1995-2008 Crown Victoria (see page C64 for description) C-AS-CCP-RAD-CV Climate Control Mounting Platform & Radio Bracket for '95-08 Crown Victoria (see page C8)

C-WH-RCV Radio Relocation Wire Harness (Crown Victoria)

Intended for 1996-2008 Ford Crown Vic

Only needed when radio is relocated 12" from original location

· 4' Antenna Extension Cable Included

Radio Relocation Wire Harness (Chevy Impala)

· Intended for 2000-2005 Chevy Impala

· Wire extension harness needed with S-CM-112-IMP

4' antenna extension cable included

4' Wire Harness for Aftermarket AM/FM Radio Relocation in 2006-2007 Dodge Charger or Magnum

- Intended for 2006 Dodge Charger or Magnum
- OEM AM/FM radio is too wide for standard 9" wide consoles.
- Relocation bracket not available for OEM radio.
- Recommended solution is to purchase a standard after market Radio for a 2-3/32" high x 7-3/16" wide mount hole and use equipment bracket # C-EB30-PIO-1P for console mounting. After Market AM/FM radio not available from HSEC
- 4' Antenna Extension Cable Included



Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

Fax: 215.957.0729

Web: www.havis.com

^{**} TS is not available for Impala models prior to 2006




Part Number

C-3330-800

MW-800 FIXED MONITOR SECTION FOR 1996-2008 CROWN VIC (CV)

FOR 1996-2008 CROWN VIC

Weight



- · MW-800 dash monitor mount for 96-08 CV
- Mounts to dash using "J" clamps & existing hardware holes
- Contoured trim fascia includes cutouts for relocating rear defrost & trunk release buttons
- 2-piece design allows easy removal of monitor
- Requires temporary removal of a 22" piece of dash trim and no other modifications




3 lbs.

4 lbs.

C-VS-800-CV


C-3329-800-1



8" Under Dash Console For 1995-2008 Ford Crown Victoria

- · Uses existing side tray brakcets from ashtray
- Includes filler plates (FP) and/or equipment brackets (EB) to completely enclose mounting area less internal mount options
- · Used to mount remote type control heads (limited depth)
- Must be ordered separately: HVAC control relocation bracket (P/N C-EB40-ACV-1P), AM/FM relocation bracket (P/N C-EB40-RCV-1P)
- · Relocates lighter plug and trunk release to the side
- · No vehicle mounting kit required
- See console appendix (page C82) for mounting depth allowed for control heads and/or options.

KEYBOARD MOUNT FOR MW-800



- Fits Motorola MW-800 keyboard
- Mounts to end of most manufacturer's consoles with plate or adjustable TCB telescoping computer base
- Spring loaded release designed for one-handed removal
- Use with tilt/swivel adapter bracket C-3085-UN-1 or tilt/swivel C-3075-3

PENTAX PRINTER GLOVE BOX MOUNT



- Printer housing for 96-08 Crown Vic
- Glove box mount for all Pentax 2" roll-feed Pocketjet II and III series mobile printers
- Slides out when glove box door opens for easy access to paper roll
- Kit includes door replacement plate & door strap lanyard for extra strength
- May not be combined with C-3549-800
- · Additional printer mounts can be found on pg C69



5 lbs.

3 lbs.

Contact us at:


Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

MOTOROLA MOUNTING SYSTEMS

Part Number

MW 800 OR MW-810 CPU TRUNK MOUNT FOR 2002-2008 CROWN VIC






- · Mounts to driver's side fender well of trunk to maximize space
- · Will not interfere with Havis-Shields radio trunk tray
- · Easy access for servicing



9 lbs.

C-3549-800

MW 800/MW 810 GLOVE BOX MOUNT FOR CROWN VIC




- Glove box CPU mount for MW 800 or MW-810
- 20° of tilt adjustment (no swivel) for level horizontal mounting of CPU
- Fits 1996-2008 Crown Vic
- · Cannot be used with C-3610-CV



3 lbs.

C-3052-800

MW-800/MW-810 CRADLE MOUNT




- Mount for MW-800 or MW-810 monitor and keyboard
- · Quick release pull out design for keyboard
- Folds closed for storage Shown in photo:
- C-3052-800 cradle mount
- C-3075-4 Swivel Mount (optional)
- C-3333-800 CPU mount (optional)
- C-TM-12E Trak mount base (optional)



8 lbs.

C-3333-800

MW 800/MW-810 CPU MOUNT



- Universal MW-800 or MW-810 CPU mount
- Also used as a riser for C-3052-800 or C-3329-800



4 lbs.

C-KM-3

SHELF ADAPTER



- · Shelf mounts to front of console
- Use with C-3329-800 and C-3085-UN-1 swivel keyboard mount



2 lbs.

Contact us at:

Ph: 800.524.9900 or 215.957.0720

E-mail: sales@havis.com Web: www.havis.com



QUICK RELEASE KEYBOARD MOUNTS

Part Number Weight

C-3522-800



MW-800/MW-810 MONITOR MOUNT

- Monitor mount for Motorola MW-800 or MW-810 monitor
- Folding angle from flat to 40° past straight up for a total of 130° travel
- Used with (AS) Angled series & C series consoles

Quick release knob to fold closed for storage

- Used with C-3329-800 keyboard mount (see page C64)
- 85° swivel

C-3075-3-ML800

ML-800/900 TILT/SWIVEL ADAPTER



- Computer mounting bracket with adapter plate
- For Motorola SDI ML800/900 docking station
- 360° swivel, 85° tilt
- 2.5" fixed height
- · Fits all TCB applications



3 lbs.

3 lbs.

C-3637

ML-800/900 LAPTOP ADAPTER PLATE ONLY



- · Adapter plate assembly
- · For mounting Motorola SDI ML800/900 docking station to C-3075 tilt swivel
- · Requires C-3075 mounting tabs to be turned "outward"

1 lb.

QUICK RELEASE KEYBOARD MOUNTING SOLUTIONS

Order interface plate and quick-release slide bracket separately




C-KBM-AMR


Keyboard mounting plate for Amrel KE89B



C-KBM-M80


Keyboard mounting plate for Motorola MW800 or MW810






C-KBM-TG3

Keyboard mounting plate for TG3 SL-86-911



C-KBM-DLX

Keyboard mounting plate for Datalux



C-QRS

Quick Release Slide for Keyboard Mounting plate

(Texas Industrial Peripherals (TIP) keyboard mounts directly to C-QRS, no interface plate needed)

C-QRS-PAN

Quick Release Slide for Panasonic Keyboard

(Panasonic PDRC keyboard mounts directly to C-QRS-PAN, no interface plate needed)

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

Weight

13 lbs

KO-DCF-29


PANASONIC

Intelligent docking station for Panasonic CF-28 or CF-29 or CF-30

- Kodiak docking station CF-28, CF-29 or CF-30
- Intelligent docking station for Panasonic CF-28, CF-29 or CF-30
- Voltage monitor with automatic shutdown
- · Flat membrane control panel impervious to liquid, dust, dirt
- · Custom configurable
- · C-3222 adapter plate recommended

C-3222

Part Number



Adapter Mounting Plate for docking and mounting stations

- For CF-27, CF-28, CF-29 -Kodiak, Gamber Johnson, PC Mobil and other docking and mounting stations
- Using 4.25" x 2" and 4" x 2" hole patterns
- · Aligns holes to fit C-3075 or C-3085 Series Tilt Swivels

C-3334-1




Adapter Mounting Plate Assembly For Panasonic Docking Station

- Mounts CF-WEB273, CF-WEB273-2 and CF-WEB301M to C-3075 or C-3085 Series Tilt Swivels (sold separately)
- 3 lbs.

1 lb.


C-3334-1-5



5" Adapter Mounting Plate Assembly For Panasonic Docking Station

- Adapter mounting plate assembly with hardware for Panasonic docking station
- This unit allows for higher clearance of bulky wires and cables
- Mounts CF-WEB273 (PA-CF-27) to C-3075/C-3085 series tilt swivels (sold separately)
- Ideal for trunk mounting applications

C-3334-2



Block off plate assembly

- For C-3334-1 Panasonic docking station adapter mounting plate shown (not included)
- Used to protect your computer ports and drives from unauthorized access

3 lbs.

8 lhs

3 lbs.

3 lbs.






Monitor Mount for Panasonic CF-VDL01 Monitor

- Panasonic CF-VDL01 monitor mount
- · Quick-release knob to fold closed for storage
- Folding angles from flat to 40° past straight up for a total of 130° travel
- Used with angled series (AS) consoles and C-TCB bases
- Slotted for 85° swivel ability

C-3329-PAN



Keyboard Mounting Tray for Panasonic

- Fits back and top lit models
- · Quick release pull out feature
- Order tilt/swivel assembly adapter bracket separately (see page C60)

Contact us at:

Fax: 215.957.0729


Web: www.havis.com

E-mail: sales@havis.com

Ph: 800.524.9900 or 215.957.0720

Fax: 215.957.0729

Web: www.havis.com



Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

C69

Part Number Weight C-PMS


PRINTER MOUNTS

Slide-out Printer Mount

- · Designed for use with all Pentax 2" roll feed Pocketjet II series mobile printers (shown with optional printer in photo)
- · Order C-3610 printer mount housing separately
- · Bolts to Stout Mount series console or any flat surface
- 22" max. open position, 13" min. closed position
- Mounting hardware included
- · 3 piece design allows for tension adjustability.



C-3610



Pentax Printer Mount Assembly

- · Can be used with all Pentax 2" roll feed PocketJet II and III series mobile printers
- · For use with TM Series and Adjustable Tilt & Swivel Mounts
- 10.375" W X 3.25" H X 5.5" D
- · Mounting hardware included

C-3610-ARM



Pentax Printer Mount with Armrest


- · Can be used with all Pentax 2" roll feed PocketJet II and III series mobile printers
- 10.375" W X 4.5" H X 5.5" D
- · Mounting hardware included



5 lbs.

3 lbs.

C-3610-CV



- · Printer housing for 96-08 Crown Vic
- Glove box mount for all Pentax 2" roll-feed Pocketjet II and III series mobile printers
- Slides out when glove box door opens for easy access to paper
- Kit includes door replacement plate & door strap lanyard for extra strength
- · May not be combined with C-3549-800



4 lbs.

C-3371-HP450



HP450 Printer Mount


- · Printer mount assembly for HP450 laserjet printer and HP460C printer
- · Slotted design allow universal mount

2 lbs.

1 lb

1 lb.

C-3085-UN-1



KEYBOARD SWIVEL BRACKETS

- · Mounts C-3329-MW keyboard mount to C-KM-3 or C-3333
- 85° swivel (no tilt)
- Low profile
- Hardware included · Fixed .75" height

C-3085-UN-2



- · Mounts C-3329-MW keyboard mount to C-KM-3 or C-3333
- 85° swivel (no tilt)
- · High profile
- · Hardware included
- · Fixed 2.25" height

Contact us at:

Fax: 215.957.0729

Web: www.havis.com

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com



Part Number

C-3090

UNIVERSAL COMPUTER MOUNTING PLATFORMS (ONLY)


Laptop mounting plate features adjustable side support tabs allowing a maximum 2.25" of available height to mount laptop to the plate.

- 11.5" minimum/15.5" maximum laptop width
- Part number includes laptop mounting plate only
- Order tilt/swivel (C-3075 or C-3085) assembly and mounting base separately
- New 0.04" thick stainless side tabs makes closing the lid easier
- Width: 11.5" Min., 16.75" Recommended, 17.5" Absolute Max



(shown with tilt/swivel assembly)

C-3090-N




Narrow laptop mounting plate features adjustable side support tabs that allows a maximum 2.25" of available height to mount laptop to the plate.

- 9.25" Minimum/13" Maximum laptop width
- · Part number includes laptop mounting plate only
- · Order tilt/swivel assembly and base separately
- New 0.04" thick stainless side tabs makes closing the lid easier



(shown with tilt/swivel assembly)

C-TMLOCK



Lock for laptop computer C-3090 & C-3490 application

- Provides additional security to deter removal of laptop
- Includes plunger type lock with key
- · Easily installed to laptop computer mounts

1 lb.

Weight

7 lbs.

7 lbs.


C-3259



- Universal plate to mount Troy or Gamber products to C-3075 or C-3085 tilt swivel series
- · Use with transmission hump base plate

2 lbs.

C-CSR-1



CARD SWIPE READER BRACKET

· Card swipe reader bracket for mounting on the side of all C-3090 and C-3490 laptop mounts

1 lb.

1 lb.

C-SS, C-SS-2



LAPTOP SCREEN SUPPORTS

- Laptop screen support
- Adjustable 4" or 7" support arm

Fits most laptop computers

C-SS / 7" laptop screen support C-SS-2 / 4" laptop screen support

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com Fax: 215.957.0729 Web: www.havis.com

C70 ______




Part Number

C-3253

SEAT TOP COMPUTER MOUNT

Universal seat top computer mount.




- No permanent installation necessary
- Does not interfere with seatbelts
- Order C-3090-1 swivel mount separately



2 lbs.

Weight

AIR BAG CONTROL SWITCHES



Air bag control (on/off) switch is used to protect your equipment from damage in air bag deployment.

1 lb.

Vehicle Make	Model	Years	Airbag Control Switch Part Number	Special Notes
Chevy	All Sedans	2000 and earlier	AOI-US1FLM	For "single stage" airbag systems
	Impala	2001-2008	AOI-US2GM	
	Impala	2007-2008	AOI-US2GMSC	For both driver & passenger curtain air bags
	Suburban	2003-2008	AOI-US2GM	
	Tahoe	2003-2008	AOI-US2GM	
	Tahoe/Yukon	2007-2008	AOI-US2GMCCSC	For both driver & passenger curtain air bags
	Trailblazer	2003-2007	AOI-US2GM	
	G Series Cargo Van	2003-2007	AOI-US2GM	
	C&K Pickups	2003-2007	AOI-US2GM	
Dodge	Durango	2004-2008	AOI-US2CD	For both driver & passenger air bags
	Magnum	2005-2008	AOI-US2CD	For both driver & passenger air bags
	Magnum	2006-2008	AOI-US2CDSC	For both driver & passenger curtain air bags
	Charger	2005-2008	AOI-US2CD	For both driver & passenger air bags
	Charger	2006-2008	AOI-US2CDSC	For both driver & passenger curtain air bags
Ford	All Ford Trucks and SUV's*	All year models	AOI-US1FLM	For "single stage" airbag systems *With the exception of some 2002 Expeditions and Explorer's
	Crown Vic's	2000 and earlier	AOI-US1FLM	For "single stage" airbag systems
	Crown Vic's	2001 and newer	AOI-US2FLM	
	Crown Vic	2006-2008	AOI-US2FLMSC	For both driver & passenger curtain air bags
	Explorer	2004-2008	AOI-US2GFADPSC	For both driver & passenger curtain air bags
	Expedition	2006-2008	AOI-US2FLMSC	For both driver & passenger curtain air bags

Contact us at:

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com Fax: 215.957.0729 Web: www.havis.com

C71



Part Number C-3190

For 1995-2008 Ford Crown Victoria (Driver Side)

- · Welded one-piece frame
- Mounts per Ford 2003 CVPI.com guidelines
- · Spare tire stays in OEM Mount
- · 9" clearance deck to shelf
- Maximum weight carrying rating: 75 lbs.
- Equipment mounting surface 15" wide x 27.5" deep
- Black powder coated 14 gauge steel
- · Easy to use slide and latch
- · Ships motor freight when ordering 6 or more



29 lbs.

Weight

C-3190-P

For 1995-2008 Ford Crown Victoria (Passenger Side)

- · Welded one-piece frame
- Mounts per Ford 2003 CVPI .com guidelines
- · Spare tire must be removed from OEM Mount
- 9" clearance deck to shelf
- Maximum weight carrying rating: 75 lbs.
- Equipment mounting surface 15" wide x 27.5" deep
- Black powder coated 14 gauge steel
- · Easy to use slide and latch



29 lbs.

C-3190-F

For 1995-2008 Ford Crown Victoria

- · Full Width Tray
- Welded one-piece frame
- Mounts per Ford 2003 CVPI.com Guidelines
- · Will accept spare tire mounted on tray
- 10" clearance deck to shelf
- · Maximum weight carrying rating: 100 lbs.
- Equipment mounting surface 43.5" wide x 27.5" deep
- · Easy to use slide and latch
- · Ships motor freight



40 lbs.

C-3190-F-EG


Equipment Guard for Full Size Trunk Mounted Radio Tray

- 42" Wide x 10" High
- Bolts to C-3190-F Radio Tray
- · Perforated 14 gauge steel
- · Guards equipment on tray from other objects
- · Black powder coat finish



5 lbs.

C-TTB-EG



Equipment Guard for Full Width Trunk Tray


- 42" wide x 10.875" high
- Bolts to C-TTB-F-CV trunk tray
- 2 piece design allows for driver side access to tray mounted electronics
- · Perforated for air flow
- · Guards equipment on tray from other objects
- · 12 guage steel
- · Black powder coat finish

Contact us at:

Fax: 215.957.0729
Web: www.havis.com

Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com





For 2000-2005 Chevrolet Impala (Full Width).

- Easy to use slide and latch
- Allows access to OEM spare tire mount
- Adjustable height (7"-10" clearance in 1" increments) deck to shelf
- Maximum weight carrying rating: 100 lbs.
- Equipment mounting surface 31" wide x 19" deep
- Black powder coated 14 gauge steel



40 lbs.

29 lbs.


40 lbs.

29 lbs.

Weight

C-3311-18


Part Number



For 2000-2005 Chevrolet Impala (half-width)

- · Easy to use slide and latch
- · Allows access to OEM spare tire mount
- Adjustable height (7"-10" clearance in 1" increments) deck to shelf
- Equipment mounting surface 17.5" wide x 19" deep
- · Black powder coated 14 gauge steel


C-3311-2



For 2006-2008 Chevy Impala (full width)

- · Easy to use slide and latch
- · Allows access to OEM spare tire mount
- Adjustable height (7"-10" clearance in 1" increments) deck to shelf
- Equipment mounting surface 31" wide x 19" deep
- Black powder coated 14 gauge steel
- Ships motor freight when ordering 4 or more

C-3311-18-2



For 2006-2008 Chevrolet Impala (half-width)

- Easy to use slide and latch
- · Allows access to OEM spare tire mount
- Adjustable height (7"-10" clearance in 1" increments) deck to shelf
- Equipment mounting surface 17.5" wide x 19" deep
- · Black powder coated 14 gauge steel

C-3311-EG

Equipment Guard for Trunk Tray Bearing Slide for '00-07 Impala and '06-07 Charger

- · Equipment guard for full size trunk mounted radio tray
- 31" W x 10" H
- · Bolts to C-3311, C-3311-2, and C-TTB-CHGR radio trays
- Allows acess to OEM spare tire (Full size or temp. spare)
- · Guards equipment on tray from other objects
- · Black powder coated perforated 14 gauge steel

C-3311-RETRO-2

2006-2008 Chevy Impala Radio Tray Transfer Bracket Kit

Transfers 2000-2005 Impala C-3311 to 2006-2007 Impala C-3311-2

C-3311-18-RETRO-2

2006-2008 Chevy Impala Radio Tray Transfer Bracket Kit

Transfers 2000-2005 Impala C-3311-18 to 2006-2007 Impala C-3311-18-2

Contact us at:

Fax: 215.957.0729 Web: www.havis.com

C73

Ph: 800.524.9900 or 215.957.0720

E-mail: sales@havis.com




Part Number

C-TTB-CV

1/2 Trunk Tray - Driver's Side

- Hanging Tray- bearing slide for 2001 2008 Crown Vic
- · 9" clearance deck to shelf
- · Maximum weight carrying rating: 100 lbs.
- Equipment mounting surface 14" wide x 21" deep
- Tray is 22" deep x 15.5" wide, 2" high
- · No holes drilled in vehicle
- 100 lb. rated heavy duty bearing slide, 12 gauge welded steel frame; 14 gauge formed steel tray
- (1) handle & (1) self deploying spring steel latch
- Order optional 2nd tier shelf separately: C-3530-5 (half) or C-3530-5L (full length)


C-TTB-CV-F



Full Width Trunk Tray

- Hanging Tray- bearing slide for 2001 2008 Crown Vic
- 10" clearance deck to shelf
- Maximum weight carrying rating: 200 lbs.
- Equipment mounting surface 42" wide x 21" deep
- Tray is 24" deep x 44.25" wide x 3" high
- · No holes drilled in vehicle
- · 250 lb. rated heavy duty bearing slide
- · 12 gauge welded steel frame, 14 gauge formed steel tray
- (2) handles & (2) self deploying spring steel latches
- · Ships motor freight

C-3530-5



2nd Tier Shelf provides additional mounting space

- Adjustable height (2.875" 5.187)
- · Bolts to any slide out shelf or flat surface
- Equipment mounting surface 13" wide x 12" deep
- Black powder coated 14 gauge steel
- Shown mounted on a C-3190 in photo




6 lbs.

Weight

22 lbs.

22 lbs.

C-3530-5L




2nd Tier Shelf provides additional mounting space

- Adjustable height (2.875" 5.187)
- · Bolts to any slide out shelf or flat surface
- Equipment mounting surface 13" wide x 24" deep
- Black powder coated 14 gauge steel



6 lbs.

C-3583



Storage Lock Box

- Storage box manufactured from black powder coated steel, features a hinged lid with a cam-style lock and a foam lined insert
- Interior: 11.63" W x 2.88" D x 10.73" L
- Exterior: 13" W x 3.5" D x 12" L
- Includes hardware to mount storage box to trunk floor, optional trunk tray or trunk shelf assembly
- · Tamper resistant design
- Black powder coated 14 gauge steel



10 lbs.

Contact us at:


Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com

C75



Part Number

C-TTB-CHGR



Trunk Tray Bearing Slide for Charger

- For 2006-2008 Dodge Charger (full width)
- Easy to use slide and latch
- Allows access to OEM spare tire (full size or temp spare)
- Adjustable height (7" 16" clearance in 1" increments) deck to shelf
- Maximum weight carrying rating: 100 lbs.
- Equipment mounting surface is 31" wide x 19" deep
- Black powder coated 14 gauge steel
- · Ships motor freight when ordering 4 or more



29 lbs.

29 lbs.

16 lbs

Weight

C-STB-CHGR

Spare Tire Bracket for Charger (full size tire)

- For 2006-2008 Dodge Charger
- · Required if trunk tray C-TTB-CHGR is used



C-TSM-CHGR-D, C-TSM-CHGR-P



Trunk Side Mount- 2006-08 Charger- Driver side (C-TSM-CHGR-D) Trunk Side Mount- 2006-08 Charger- Passenger side (C-TSM-CHGR-P)


- C-TSM-CHGR-P is preferred as battery is nearby and full size spare is offset on drivers side
- Designed for use with full size spare tire when C-TTB-CHGR is not needed
- Hinged platform for mounting electronic equipment
- Equipment protected when in closed position
- Mounts on side fender area
- Mounting surface is 12" wide x 15" high
- Locking latch
- · Removable inner panel for bench top pre-assembly



C-TSM-CHGR-D shown

C-TSM-CHGR-P shown

C-TSM-CV-P



Trunk Side Mount 1997-2008 Crown Victoria- Passenger Side

- C-TSM-CV-P Passenger side mount only. Driver side not available due to location of fuel shutoff switch.
- · Hinged platform for mounting electronic equipment
- Equipment protected in closed position
- Mounts on passenger side fender area. Mounting surface 12/5" wide x 14.5" high
- · Locking latch
- Removable inner panel for bench top pre-assembly
- · See console appendix (page C82) for product dimensions.

Contact us at:

Fax: 215.957.0729

Ph: 800.524.9900 or 215.957.0720

E-mail: sales@havis.com Web: www.havis.com



Part Number

C-HK-LP Hardware Kit complete with Lighter socket, lighter cap, wire & fuse

Hardware Kit complete with 1/4-20 screws, nut & washers for Console Mounting C-HK

C-HK-1 Hardware Kit with (32) Torx Screws for Equipment Bracket & Filler Plate

C-LABEL-B Label for Console, White blank

C-LABEL-NS Label for Console, Non-Standard (specify desired imprinting- 30 characters and/or spaces max)

C-LABEL-S Label for Console, Standard (see page C35 for available list of labels)

CM15600-08 **Fuse Panel Blade Type** CM216560 **Lighter Plug Socket and Cap** CM588010 Cup Holder Insert for C-CH-2 CM588060 Cup Holder Insert for C-CH-2-XL

CM8550251A Map Light Red Lens

CM86320 Key for Cam Style Storage Lock

CM86332 **Knob for TCB Series** CM86600 1/16" Nylon Spacer

CM93026 **Backlighting Strip With Bulbs & Screws**

CM93042-1 Molded Arm Rest Pad CM93064 **End Cap for Trak Mount** CM93084 Rubber Bumper

CM93173-5 Storage Rail Cap 6" for C-S-6

CM93315L

Clamp for C-3090 Universal Laptop Mounting Base

CM93745 Bulbs Only for Map Light New Pin Type #6 C-MLB-O Bulbs Only for Map Light Old Push Type # C-MLO Osram Map Light w/ 13" Gooseneck

C-WH-RCV Radio relocation wire harness (Crown Victoria)

Intended for 1996-2008 Ford Crown Vic

• Only needed when radio is relocated 12" from original location

· 4' Antenna Extension Cable Included

KR-DL Vehicle cab compact size dome light

KR-DL-12 Vehicle cab compact size dome light (package of twelve)

Contact us at:

Ph: 800.524.9900 or 215.957.0720 Fax: 215.957.0729 E-mail: sales@havis.com Web: www.havis.com

23 lbs.

30 lbs.

C77



- Baseplate: 3/16" thick aluminum plate
- Side Walls: 1/8" thick aluminum
- Finish: Black powder coat
- Lid: Molded ABS polycarbonate with UV protection, push button "slam" latch and two keys
- Hinge: Stainless steel continuous hinge with 1/8" center pin

Mounting Hardware:

Four (4)- 3/4" high x 1" o.d. rubber shock mounting bushings with 1/4" x 20 x 1/2" bolts for attaching to box (provides vibration dampening)

Brake Light:


Low profile, 20 diode rear brake light standard

Wire harness:

- Includes a 7 wire main power harness
- 110" in length
- All necessary 3 wire strobe light harness

Part Number


Weight C-MC-2000



C-MC-2000 Small Motorcycle Box with hinged lid

- · 11.25" wide by 15.25" long by 8" high
- · Mounted brake light on lid
- No cut outs for warning lights
- Includes mounting hardware, wire harness, LED brake light, lock and two keys
- Black finish

C-MC-3000



C-MC-3000 Large Motorcycle Box with hinged lid

- · 14.25" wide by 19.25" long by 8" high
- · Mounted brake light on lid
- · No cut outs for warning lights
- · Includes mounting hardware, wire harness, LED brake light, lock and two keys
- Black finish

C-MC-4000



C-MC-4000 Large Low Profile Motorcycle Box with hinged lid

- 14.25" wide by 19.25" long by 6" high
- · Mounted brake light on lid
- No cut outs for warning lights
- · Includes mounting hardware, wire harness, LED brake light, lock and two keys
- · Black finish

Optional Accessories

C-MC-RADIO-2 C-MC-RADIO-3 Internal radio mounting shelf option for 2000 Series Internal radio mounting shelf option for 3000 Series

C-MC-LIGHTER OUTLET

Waterproof 12 VDC cigarette lighter outlet mounted in front, right side of MC system

C-MC-EG-STROBE-2

Two (2) 5" x 2" linear strobes with polished aluminum housing, 15' cable and 1.25" engine guard mounting

brackets. Requires 2 additional power supply outlets. Specify color (red or blue only).

C-MC-POLE BRACKET C-MC-ANTENNA PLATE Telescoping light pole relocation bracket with mounting hardware. Allows use of OEM pole light with above boxes

Grounding plate to mount antenna onto box lid

12V dome light with switch mounted inside box lid. Must order C-MC-ANTENNA PLATE with this option C-MC-DOME LIGHT


Contact us at:


Fax: 215.957.0729


Ph: 800.524.9900 or 215.957.0720 E-mail: sales@havis.com Web: www.havis.com 30 lbs.




See more at www.havis.com









Ph: 800.524.9900 or 215.957.0720

E-mail: sales@havis.com


C78


Fax: 215.957.0729


Web: www.havis.com




See more at www.havis.com









Ph: 800.524.9900 or 215.957.0720


E-mail: sales@havis.com


Fax: 215.957.0729


Web: www.havis.com




See more at www.havis.com











Ph: 800.524.9900 or 215.957.0720

E-mail: sales@havis.com




See more at www.havis.com





1995-2008 Crown Victoria with Motorola MW-800 **Computer Dash Mount System** **This is a sample configuration. These parts can be substituted depending on vehicle or application.** C-3549-800 CPU Glove box mount C-3330-800 Monitor Mount C-3329-800 C-3590 Keyboard Mount HVAC/Radio Relocation Bracket C-3082-3 Universal Mounting Bracket C-1800 Console C-TCB-1 Telescoping Computer Base




Ph: 800.524.9900 or 215.957.0720

E-mail: sales@havis.com

Fax: 215.957.0729

Web: www.havis.com





Ph: 800.524.9900 or 215.957.0720

E-mail: sales@havis.com